

Mouse BOB.1 Monoclonal Antibody | anti-BOB.1 antibody

BOB.1 (B-Cell Marker)


CATALOG # AAA214678	HOST Mouse	REACTIVITY Human. Others not known.	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	----------------------	---	---

PRODUCT SYNONYMS

BOB.1; Monoclonal Antibody; BOB.1 (B-Cell Marker); B cell Oct binding protein 1; B-cell-specific coactivator OBF-1; BOB-1; OBF1; OCA-B; OCAB; OCT-binding factor 1; POU domain class 2-associating factor 1; POU2AF1; anti-BOB.1 antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human. Others not known.
Clonality	Monoclonal
Isotype	IgG2b, kappa
Clone Number	BOB1/2425
Specificity	BOB.1 expression in a variety of established B-cell lines, representing different stages of B-cell development, has suggested a constitutive, B-cell-specific expression pattern. LP cells in nodular lymphocyte predominant Hodgkin lymphoma, because they are germinal center-derived, are consistently immuno-positive for BOB.1. Conversely, only some cases of classical Hodgkin lymphoma show BOB.1 immuno-reactivity within the Hodgkin and Reed-Sternberg cells. Expression of BOB.1 has been reported in follicular center cell lymphoma, diffuse large B-cell lymphoma and some cases of acute myeloid leukemia. B-CLL, marginal zone lymphoma, and mantle cell lymphoma may show weak to moderate immunoreactivity.
Form/Format	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Sequence Length	256
Applicable Applications for anti-BOB.1 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fragment of human BOB1 (POU2AF1) protein (around aa 148-255)
Cellular Localization	Nuclear
Hu-chromosome Location	11q23.1
Positive Control	Raji and Ramos cells. Spleen or Tonsil.




Application Data

Analysis of Protein Array containing >19, 000 full-length human proteins using BOB1 Mouse Monoclonal Antibody (BOB1/2425) Z- and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProt™ array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProt™ are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to be specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.




SDS-PAGE

SDS-PAGE Analysis Purified BOB1 Mouse Monoclonal Antibody (BOB1/2425).Confirmation of Integrity and Purity of Antibody.



WB (Western Blot)

Western Blot Analysis of Raji Cell lysate using BOB1 Mouse Monoclonal Antibody (BOB1/2425).



IHC (Immunohistochemistry)

Formalin-fixed, paraffin-embedded human Spleen stained with BOB1 Mouse Monoclonal Antibody (BOB1/2425).

ADDITIONAL INFORMATION

References	Gibson SE, et al. Am J Clin Pathol. 2006 Dec; 126(6):916-24.
------------	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	167900478
NCBI GeneID	5450
NCBI Accession #	NP_006226.2
NCBI GenBank Nucleotide #	NM_006235.2
UniProt Accession #	Q16633; Q14983; B2R8Z9
Molecular Weight	35kDa
NCBI Official Full Name	POU domain class 2-associating factor 1
NCBI Official Synonym Full Names	POU class 2 associating factor 1
NCBI Official Symbol	POU2AF1
NCBI Official Synonym Symbols	BOB1; OBF1; OCAB; OBF-1
NCBI Protein Information	POU domain class 2-associating factor 1

UniProt Protein Name	POU domain class 2-associating factor 1
UniProt Gene Name	POU2AF1
UniProt Synonym Gene Names	OBF1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/bob1-antibody-clone-bob1-2425-immunohistochemistry-western-blot-elisa/214678>