

Mouse anti-Human CD11b/MAC-1 Monoclonal Antibody | anti-CD11b/MAC-1 antibody

CD11b/MAC-1 (Microglial Marker)



CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA215042	Mouse	Human	Immunohistochemistry

PRODUCT SYNONYMS

CD11b/MAC-1; Monoclonal Antibody; CD11b/MAC-1 (Microglial Marker); CD18; CD49d; Cell surface glycoprotein MAC-1 subunit alpha; Complement Component Receptor 3 Alpha; CR3 Alpha Chain (CR3A); Integrin alpha-M; Integrin beta 2 alpha subunit; Leukocyte adhesion receptor MO1; Ly-40; MAC1A; Macrophage antigen alpha polypeptide; MO1A; Neutrophil adherence receptor alpha M subunit; anti-CD11b/MAC-1 antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1, kappa
Clone Number	ITGAM/3339
Specificity	CD11b is a cell adhesion molecule that acts as a receptor for cell surface ligands such as intracellular adhesion molecules (ICAMs) or soluble ligands. Integrins are heterodimeric proteins that contain an a chain and b chain. Integrin M2 is important in the adherence of neutrophils and monocytes to stimulated endothelium, and also in the phagocytosis of complement coated particles. The protein CD11b has been implicated in the various adhesion-related interactions of cells such as monocytes, macrophages, natural killer (NK) cells, and granulocytes. It is part of a heterodimer that consists of CD11b and CD18. It also modulates the uptake of complement-coated particles within the cell. It is commonly used as a microglial marker in tissues derived from the nervous system.
Purity/Purification	Purified Ab with BSA and Azide at 200ug/ml OR Purified Ab WITHOUT BSA and Azide at 1.0mg/ml
Form/Format	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Sequence Length	1153
Applicable Applications for anti-CD11b/MAC-1 antibody	IHC (Immunohistochemistry)
Positive Control	Monocytes & granulocytes. Lymph nodes, spleen and tonsil (IHC).
Immunogen	Recombinant fragment (around aa941-1074) of human ITGAM protein (exact sequence is proprietary)
Cellular Localization	Cell Surface
Hu-chromosome Location	16p11.2
Preparation and Storage	Antibody with azide: store at 2 to 8 degree C. Antibody without azide: store at -20 to -80 degree C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.



IHC (Immunohistochemistry)
Formalin-fixed, paraffin-embedded human tonsil stained with CD11b Monospecific Mouse Monoclonal Antibody (ITGAM/3339).

Application Data
Analysis of Protein Array containing more than 19,000 full-length human proteins using CD11b Monospecific Mouse Monoclonal Antibody (ITGAM/3339). Z- and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (Monoclonal Antibody) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a Monoclonal Antibody to its intended target. A Monoclonal Antibody is considered to specific to its intended target, if the Monoclonal Antibody has an S-score of at least 2.5. For example, if a Monoclonal Antibody binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that Monoclonal Antibody to protein X is equal to 29.



IHC (Immunohistochemistry)
Formalin-fixed, paraffin-embedded human tonsil stained with CD11b Monospecific Mouse Monoclonal Antibody (ITGAM/3339).

NCBI AND UNIPROT INFORMATION

NCBI GI #	224831239
NCBI GeneID	3684
NCBI Accession #	NP_001139280.1
NCBI GenBank Nucleotide #	NP_001139280.1
UniProt Accession #	P11215
Molecular Weight	95kDa & 170kDa
NCBI Official Full Name	integrin alpha-M isoform 1
NCBI Official Synonym Full Names	integrin subunit alpha M
NCBI Official Symbol	ITGAM
NCBI Official Synonym Symbols	CR3A; MO1A; CD11B; MAC-1; MAC1A; SLEB6
NCBI Protein Information	integrin alpha-M
UniProt Protein Name	Integrin alpha-M
UniProt Gene Name	ITGAM
UniProt Synonym Gene Names	CD11B; CR3A

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/cd11b-mac-1-antibody-clone-itgam-3339-immunohistochemistry-elisa/215042>