

Mouse anti-Human VISTA/B7-H5/VSIR Monoclonal Antibody | anti-VSIR antibody

VISTA/B7-H5/VSIR (Negative Regulator of Immune Response)


CATALOG # AAA215196	HOST Mouse	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	----------------------	----------------------------	--

PRODUCT SYNONYMS

VISTA/B7-H5/VSIR; Monoclonal Antibody; VISTA/B7-H5/VSIR (Negative Regulator of Immune Response); B7H5; DD1alpha; Gi24; PD-1H; PDCD1 homolog; Platelet receptor Gi24; PP2135; Stress-induced secreted protein 1 (SISP1); V domain Ig suppressor of T cell activation (VISTA); V Set Immuno-Regulatory Receptor; anti-VSIR antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG2b, kappa
Clone Number	VISTA/3007
Specificity	VISTA/Gi24 is a transmembrane protein expressed in bone, on embryonic stem cells (ESCs), and on tumor cell surfaces. On ESC s, Gi24 appears to positively interact with BMP-4, potentiating BMP signaling and the transition from an undifferentiated to a differentiated state. On tumor cells, Gi24 both promotes MT1-MMP expression and activity and serves as a substrate for MT1-MMP. This increases the potential for cell motility. Mature human Gi24 contains a 162aa extracellular region with one V-type Ig-like domain and a 96aa cytoplasmic domain. Human Gi24 undergoes proteolytic cleavage by MT1-MMP, generating a soluble 30kDa extracellular fragment plus a 25-30kDa membrane-bound fragment. VISTA is a negative checkpoint regulator and is expressed on myeloid cells, T-cells and human TILs (tumor infiltrating lymphocytes) on MDSCs (myeloid-derived suppressor cells) in the TME (tumor microenvironment). It is very likely both a ligand and receptor and is a promising target for cancer immunotherapy.
Purity/Purification	Purified Ab with BSA and Azide at 200ug/ml OR Purified Ab WITHOUT BSA and Azide at 1.0mg/ml
Form/Format	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Sequence Length	311
Applicable Applications for anti-VSIR antibody	IHC (Immunohistochemistry), ELISA
Positive Control	Spleen or Placenta.
Immunogen	Recombinant full-length human VISTA protein
Cellular Localization	Cell Surface and Cytoplasmic
Hu-chromosome Location	10q22.1
Preparation and Storage	Antibody with azide: store at 2 to 8 degree C. Antibody without azide: store at -20 to -80 degree C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.




Application Data

Analysis of Protein Array containing more than 19,000 full-length human proteins using VISTA Monospecific Mouse Monoclonal Antibody (VISTA/3007). Z- and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProt™ array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProt™ are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to be specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.




SDS-PAGE

SDS-PAGE Analysis Purified VISTA Monospecific Mouse Monoclonal Antibody (VISTA/3007). Confirmation of Integrity and Purity of Antibody.



IHC (Immunohistochemistry)

Formalin-fixed, paraffin-embedded human SqCC stained with VISTA Monospecific Mouse Monoclonal Antibody (VISTA/3007).



IHC (Immunohistochemistry)

Formalin-fixed, paraffin-embedded human Placenta stained with VISTA Monospecific Mouse Monoclonal Antibody (VISTA/3007).

ADDITIONAL INFORMATION

References	Lines, J.L., et al. Cancer Immunol Res. 2014;2(6):510-517.
------------	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	62339432
NCBI GeneID	64115
NCBI Accession #	NP_071436.1
NCBI GenBank Nucleotide #	NP_071436.1
UniProt Accession #	Q9H7M9
Molecular Weight	34kDa
NCBI Official Full Name	V-type immunoglobulin domain-containing suppressor of T-cell activation
NCBI Official Synonym Full Names	V-set immunoregulatory receptor
NCBI Official Symbol	VSIR
NCBI Official Synonym Symbols	B7H5; GI24; B7-H5; Dies1; PD-1H; SISP1; VISTA; PP2135; C10orf54; DD1alpha
NCBI Protein Information	V-type immunoglobulin domain-containing suppressor of T-cell activation

UniProt Protein Name	V-type immunoglobulin domain-containing suppressor of T-cell activation
UniProt Gene Name	C10orf54
UniProt Synonym Gene Names	; Sisp-1
UniProt Entry Name	VISTA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/vista-b7-h5-vsir-antibody-clone-vista-3007-immunohistochemistry-elisa/215196>