

Mouse anti-Human CD137L/4-1BBL/TNFSF9 Monoclonal Antibody | anti-TNFSF9 antibody

CD137L/4-1BBL/TNFSF9

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA215491	Mouse	Human	Immunohistochemistry, Immunofluorescence, Flow Cytometry, Functional Assay



PRODUCT SYNONYMS

CD137L/4-1BBL/TNFSF9; Monoclonal Antibody; 4-1BB ligand; 4-1BBL; CD137L; ILA ligand (TNF related); Ly63l; Tumor necrosis factor ligand 5A (TNLG5A); Tumor necrosis factor ligand superfamily member 9 (TNFSF9); anti-TNFSF9 antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG2a, kappa
Clone Number	CD137L/1547
Specificity	TNFSF9 / 4-1BBL is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This transmembrane cytokine is a bidirectional signal transducer that acts as a ligand for TNFRSF9 / 4-1BB, which is a costimulatory receptor molecule in T lymphocytes. This cytokine and its receptor are involved in the antigen presentation process and in the generation of cytotoxic T cells. The receptor TNFRSF9 / 4-1BB is absent from resting T lymphocytes but rapidly expressed upon antigenic stimulation. It has been shown to reactivate anergic T lymphocytes in addition to promoting T lymphocyte proliferation. This cytokine is required for the optimal CD8 responses in CD8 T cells. This cytokine is expressed in carcinoma cell lines, and is thought to be involved in T cell-tumor cell interaction.
Purity/Purification	Purified Ab conjugated to Biotin
Form/Format	Antibody purified from Bioreactor Concentrate by Protein A/G and conjugated to Biotin. Prepared in 10mM PBS with 0.05% BSA and 0.05% azide.
Sequence Length	254
Applicable Applications for anti-TNFSF9 antibody	IHC (Immunohistochemistry), IF (Immunofluorescence), FCM/FACS (Flow Cytometry)
Immunogen	Recombinant full-length Human CD137L protein
Cellular Localization	Cell Surfaceand Cytoplasmic
Hu-chromosome Location	19p13.3
Positive Control	Raji, 293T or HEK293 cells. Human renal cell carcinoma or Lung carcinoma.
Preparation and Storage	Antibody with azide: store at 2 to 8 degree C. Antibody without azide: store at -20 to -80 degree C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

IMAGES



IHC (Immunohistochemistry)
Formalin-fixed, paraffin-embedded human kidney stained with Biotin-conjugated CD137L Mouse Monoclonal Antibody (CD137L/1547).

SDS-PAGE
SDS-PAGE Analysis Purified CD137L Mouse Monoclonal Antibody (CD137L/1547) (unconjugated). Confirmation of Purity and Integrity of Antibody.



IHC (Immunohistochemistry)
Formalin-fixed, paraffin-embedded human kidney stained with Biotin-conjugated CD137L Mouse Monoclonal Antibody (CD137L/1547).

ADDITIONAL INFORMATION

References	Qian Y,et al. Med Oncol, 2015 Mar. PMID 25631633 Zhao S,et al. Am J Surg Pathol, 2013 Feb. PMID 23095505
------------	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	4507609
NCBI GeneID	8744
NCBI Accession #	NP_003802.1
NCBI GenBank Nucleotide #	NP_003802.1
UniProt Accession #	P41273
Molecular Weight	27kDa
NCBI Official Full Name	tumor necrosis factor ligand superfamily member 9
NCBI Official Synonym Full Names	TNF superfamily member 9
NCBI Official Symbol	TNFSF9
NCBI Official Synonym Symbols	CD137L; TNLG5A; 4-1BB-L
NCBI Protein Information	tumor necrosis factor ligand superfamily member 9
UniProt Protein Name	Tumor necrosis factor ligand superfamily member 9

UniProt Gene Name	TNFSF9
UniProt Synonym Gene Names	4-1BBL
UniProt Entry Name	TNFL9_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/cd137l-4-1bbl-tnfsf9-antibody-clone-cd137l-1547-immunohistochemistry-immunofluorescence-flow-cytometry-elisa/215491>