

Rabbit anti-Human P16INK4a Monoclonal Antibody | anti-CDKN2A antibody

P16INK4a Recombinant Rabbit Monoclonal Antibody [Clone CDKN2A/4844R]

CATALOG # AAA215522	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	----------------------------	---

PRODUCT SYNONYMS

P16INK4a; Monoclonal Antibody; P16INK4a Recombinant Rabbit Monoclonal Antibody [Clone CDKN2A/4844R]; CDK4 inhibitor p16 INK4; CDK4I; CDKN2A; Cell cycle negative regulator beta; CMM2; Cyclin dependent kinase 4 inhibitor A; Melanoma p16 inhibits CDK4; MLM; MTS1; Multiple tumor suppressor 1; p14; p16; p19; P19ARF; TP16; anti-CDKN2A antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit/IgG, kappa
Clone Number	CDKN2A/4844R
Form/Format	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Concentration	Purified Ab with BSA and Azide at 200ug/ml OR Purified Ab WITHOUT BSA and Azide at 1.0mg/ml (varies by lot)
Applicable Applications for anti-CDKN2A antibody	IHC (Immunohistochemistry), WB (Western Blot)
Antibody Type	Recombinant Antibody
Immunogen	Recombinant full-length human p16INK4a protein
Cellular Localization	Nucleus, Cytoplasm
Positive Control	Human cervical squamous cell carcinoma.
Hu-chromosome Location	9p21.3
Unigene	512599
Preparation and Storage	Antibody with azide: store at 2 to 8 degree C Antibody without azide: store at -20 to -80 degree C Antibody is stable for 24 months. Non-hazardous. No MSDS required.

IMAGES



IHC (Immunohistochemistry)

Formalin-fixed, paraffin-embedded human cervix stained with P16INK4a Recombinant Rabbit Monoclonal Antibody (CDKN2A/4844R).

ADDITIONAL INFORMATION

Related Product Information for anti-CDKN2A antibody	p16INK4a is a tumor suppressor protein. It is a specific inhibitor of cdk4/cdk6, and a tumor suppressor involved in the pathogenesis of a variety of malignancies. Recent analyses of the p16INK4a gene revealed homozygous deletions, nonsense, missense, or frameshift mutations in several human cancers. Although the frequency of p16INK4a abnormalities is higher in tumor derived cell lines than in unselected primary tumors, significant subsets of clinical cases with aberrant p16INK4a gene have been reported among melanomas, gliomas, esophageal, pancreatic, lung, and urinary bladder carcinomas, and some types of leukemia. Expression of p16INK4a (p16 positive) is highly correlated with human papilloma virus (HPV) infection in head and neck squamous cell carcinomas (HNSCC). p16 status is an important prognostic indicator in HNSCC and the p16 positive/HPV16 negative group is likely a distinct subgroup lacking any HPV genotype.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502749
NCBI GeneID	1029
NCBI Accession #	NP_000068.1
NCBI GenBank Nucleotide #	NM_000077.4
UniProt Accession #	P42771; O95440; Q15191; Q5VVJ5; Q96B52; Q9NP05; A5X2G7; D3DRK1; Q8N726
Molecular Weight	16,533 Da
NCBI Official Full Name	cyclin-dependent kinase inhibitor 2A isoform p16INK4a
NCBI Official Synonym Full Names	cyclin-dependent kinase inhibitor 2A
NCBI Official Symbol	CDKN2A
NCBI Official Synonym Symbols	ARF; MLM; P14; P16; P19; CMM2; INK4; MTS1; TP16; CDK4I; CDKN2; INK4A; MTS-1; P14ARF; P19ARF; P16INK4; P16INK4A; P16-INK4A
NCBI Protein Information	cyclin-dependent kinase inhibitor 2A; CDK4 inhibitor p16-INK4; multiple tumor suppressor 1; cell cycle negative regulator beta; cyclin-dependent kinase 4 inhibitor A; cyclin-dependent kinase inhibitor 2A (melanoma, p16, inhibits CDK4)
UniProt Protein Name	Cyclin-dependent kinase inhibitor 2A, isoforms 1/2/3
UniProt Gene Name	CDKN2A
UniProt Synonym Gene Names	CDKN2; MTS1; CDK4I; MTS-1; p16-INK4; p16INK4A
UniProt Entry Name	CD2A1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.