

Rabbit anti-Human, Rat GATA-3 Monoclonal Antibody | anti-GATA3 antibody

GATA-3 (Breast and Urothelial Marker) Recombinant Rabbit Monoclonal Antibody [Clone GATA3/4550R]

CATALOG # AAA215673	HOST Rabbit	REACTIVITY Human, Rat	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	---------------------------------	---


PRODUCT SYNONYMS

GATA-3; Monoclonal Antibody; GATA-3 (Breast and Urothelial Marker) Recombinant Rabbit Monoclonal Antibody [Clone GATA3/4550R]; GATA-3 (Breast and Urothelial Marker); GATA3; GATA binding protein-3; GATA-binding factor 3; HDR; HDRS; Transacting T-cell-specific transcription factor GATA-3; anti-GATA3 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Rat
Clonality	Monoclonal
Isotype	Rabbit/IgG, kappa
Clone Number	GATA3/4550R
Form/Format	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Concentration	Purified Ab with BSA and Azide at 200ug/ml OR Purified Ab WITHOUT BSA and Azide at 1.0mg/ml (varies by lot)
Applicable Applications for anti-GATA3 antibody	IHC (Immunohistochemistry)
Antibody Type	Recombinant Antibody
Immunogen	Conserved peptide between the GATA trans-activation and DNA-binding domain
Cellular Localization	Nuclear
Positive Control	Human breast or urothelial carcinoma tissue.
Hu-chromosome Location	10p14
Unigene	524134
Preparation and Storage	Antibody with azide: store at 2 to 8 degree C Antibody without azide: store at -20 to -80 degree C Antibody is stable for 24 months. Non-hazardous. No MSDS required.

IMAGES



IHC (Immunohistochemistry)

Formalin-fixed, paraffin-embedded human bladder carcinoma stained with GATA-3 Recombinant Rabbit Monoclonal Antibody (GATA3/4550R).

ADDITIONAL INFORMATION

Related Product Information for anti-GATA3 antibody	GATA-3 (GATA binding protein 3) is a member of the GATA family of transcription factors. This 50kDa nuclear protein regulates the development and subsequent maintenance of a variety of human tissues, including hematopoietic cells, skin, kidney, mammary gland, and the central nervous system. Among several other roles, GATA-3 involved in luminal cell differentiation in the mammary gland and appears to control a set of genes involved in the differentiation and proliferation of breast cancer. The expression of GATA-3 is associated with the expression of estrogen receptor-alpha (ER) in breast cancer. GATA-3 has been shown to be a novel marker for bladder cancer. The study demonstrated that GATA-3 stained 67% of urothelial Carcinomas, but none of prostate or renal carcinomas.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	50541959
NCBI GeneID	2625
NCBI Accession #	NP_001002295.1
NCBI GenBank Nucleotide #	NM_001002295.1
UniProt Accession #	P23771; Q5VWG7; Q5VWG8; Q96J16
Molecular Weight	47,916 Da
NCBI Official Full Name	trans-acting T-cell-specific transcription factor GATA-3 isoform 1
NCBI Official Synonym Full Names	GATA binding protein 3
NCBI Official Symbol	GATA3
NCBI Official Synonym Symbols	HDR; HDRS
NCBI Protein Information	trans-acting T-cell-specific transcription factor GATA-3; GATA-binding factor 3
UniProt Protein Name	Trans-acting T-cell-specific transcription factor GATA-3
UniProt Gene Name	GATA3
UniProt Entry Name	GATA3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/gata-3-antibody-clone-gata3-4550r-immunohistochemistry-elisa/215673>