

## Mouse anti-Human p40 (deltaNp63) Monoclonal Antibody | anti-TP63 antibody

p40 (deltaNp63) (Squamous, Basal &amp; Myoepithelial Cell Marker) Recombinant Mouse Monoclonal Antibody [Clone rTP40/3690]

| CATALOG # | HOST  | REACTIVITY | APPLICATIONS                                                               |
|-----------|-------|------------|----------------------------------------------------------------------------|
| AAA216018 | Mouse | Human      | Immunohistochemistry, Immunofluorescence, Flow Cytometry, Functional Assay |


### PRODUCT SYNONYMS

p40 (deltaNp63); Monoclonal Antibody; p40 (deltaNp63) (Squamous; Basal &amp; Myoepithelial Cell Marker) Recombinant Mouse Monoclonal Antibody [Clone rTP40/3690]; Basal &amp; Myoepithelial Cell Marker); deltaNp63; TP63; anti-TP63 antibody

### PRODUCT SPECIFICATIONS

|                                                |                                                                                                                                                                             |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Host                                           | Mouse                                                                                                                                                                       |
| Reactivity                                     | Human                                                                                                                                                                       |
| Clonality                                      | Monoclonal                                                                                                                                                                  |
| Isotype                                        | Mouse/IgG1, kappa                                                                                                                                                           |
| Clone Number                                   | rTP40/3690                                                                                                                                                                  |
| Form/Format                                    | 200ug/ml of Ab purified by Protein A Column. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.                             |
| Concentration                                  | Purified Ab with BSA and Azide at 200ug/ml<br>OR<br>Purified Ab WITHOUT BSA and Azide at 1.0mg/ml (varies by lot)                                                           |
| Applicable Applications for anti-TP63 antibody | IHC (Immunohistochemistry), IF (Immunofluorescence), FCM/FACS (Flow Cytometry)                                                                                              |
| Antibody Type                                  | Recombinant Antibody                                                                                                                                                        |
| Immunogen                                      | A synthetic peptide from the N-terminal of human p40protein (Exact sequence is proprietary)                                                                                 |
| Cellular Localization                          | Nuclear                                                                                                                                                                     |
| Positive Control                               | HeLa cells. Human prostate or lung tissue (IHC).                                                                                                                            |
| Hu-chromosome Location                         | 3q28                                                                                                                                                                        |
| Unigene                                        | 137569                                                                                                                                                                      |
| Preparation and Storage                        | Antibody with azide: store at 2 to 8 degree C<br>Antibody without azide: store at -20 to -80 degree C<br>Antibody is stable for 24 months. Non-hazardous. No MSDS required. |

### IMAGES



#### IHC (Immunohistochemistry)

Formalin-fixed, paraffin-embedded human skin stained with p40 Recombinant Mouse Monoclonal Antibody (rTP40/3690).

ADDITIONAL INFORMATION

|                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Related Product Information for anti-TP63 antibody | p63 consists of two major isoforms-TAp63 and delta-Np63. These isoforms differ in the structure of the N-terminal domains. The TAp63 isoform (identified by anti-p63 antibody) contains a transactivation-competent TA domain with homology to p53, which regulates the expression of the growth-inhibitory genes. In contrast, DNp63 isoform (identified by anti-p40 antibody) contains an alternative transcriptionally-inactive delta-N domain, which antagonizes the activity of TAp63 and p53. P40/3980R recognizes exclusively delta-Np63 but not TAp63. p40 is a squamous cell carcinoma specific antibody. It reacts with the vast majority of cases of squamous cell carcinomas of various origins, but not with adenocarcinomas. It is particularly useful in differentiating lung squamous cell carcinoma from lung poorly differentiated adenocarcinoma. p40 antibody can also be used as an alternative basal cell/myoepithelial cell marker, which has similar sensitivity and specificity as that of p63 antibody. Therefore, p40 antibody may also be used as an alternative immunohistochemical marker for determining prostate adenocarcinoma vs. benign prostate glands and for determining breast intraductal carcinoma vs. invasive breast ductal carcinoma. |
|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

NCBI AND UNIPROT INFORMATION

|                                  |                                                                                                                                                                                                                                                            |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NCBI GI #                        | 169234657                                                                                                                                                                                                                                                  |
| NCBI GeneID                      | 8626                                                                                                                                                                                                                                                       |
| NCBI Accession #                 | NP_001108450.1                                                                                                                                                                                                                                             |
| NCBI GenBank Nucleotide #        | NM_001114978.1                                                                                                                                                                                                                                             |
| UniProt Accession #              | Q9H3D4; O75080; O75195; O75922; O76078; Q6VEG2; Q6VEG3; Q6VEG4; Q6VFJ1; Q6VFJ2; Q6VFJ3; Q6VH20                                                                                                                                                             |
| Molecular Weight                 | 76,785 Da                                                                                                                                                                                                                                                  |
| NCBI Official Full Name          | tumor protein 63 isoform 2                                                                                                                                                                                                                                 |
| NCBI Official Synonym Full Names | tumor protein p63                                                                                                                                                                                                                                          |
| NCBI Official Symbol             | TP63                                                                                                                                                                                                                                                       |
| NCBI Official Synonym Symbols    | AIS; KET; LMS; NBP; RHS; p40; p51; p63; EEC3; OFC8; p73H; p73L; SHFM4; TP53L; TP73L; p53CP; TP53CP; B(p51A); B(p51B)                                                                                                                                       |
| NCBI Protein Information         | tumor protein 63; CUSP; transformation-related protein 63; tumor protein p53-competing protein; amplified in squamous cell carcinoma; chronic ulcerative stomatitis protein; keratinocyte transcription factor KET; tumor protein p63 deltaN isoform delta |
| UniProt Protein Name             | Tumor protein 63                                                                                                                                                                                                                                           |
| UniProt Gene Name                | TP63                                                                                                                                                                                                                                                       |
| UniProt Synonym Gene Names       | KET; P63; P73H; P73L; TP73L; p63; CUSP; TP63; p73L                                                                                                                                                                                                         |
| UniProt Entry Name               | P63_HUMAN                                                                                                                                                                                                                                                  |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.