

Mouse Linker For Activation Of T-Cell (LAT) RTU ELISA Kit | LAT rtu elisa kit

Mouse Linker For Activation Of T-Cell (LAT) ELISA Kit

CATALOG #
AAA216733

REACTIVITY
Mouse

PRODUCT SYNONYMS

Linker For Activation Of T-Cell (LAT); Mouse Linker For Activation Of T-Cell (LAT) ELISA Kit; LAT1; Pp36; Linker Of Activated T Cells; Linker for activation of T-cells family member 1; 36 kDa phospho-tyrosine adapter protein; LAT rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	242
Assay Type	Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates or Other Biological Fluids.
Detection Range	0.156-10ng/mL
Sensitivity	0.039ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LAT rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to LAT. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to LAT. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain LAT, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of LAT in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	6754510
NCBI GeneID	16797

NCBI Accession #	NP_034819.1
NCBI GenBank Nucleotide #	NM_010689.3
UniProt Accession #	O54957
Molecular Weight	26,015 Da
NCBI Official Full Name	linker for activation of T-cells family member 1
NCBI Official Synonym Full Names	linker for activation of T cells
NCBI Official Symbol	Lat
NCBI Official Synonym Symbols	pp36; p36-38
NCBI Protein Information	linker for activation of T-cells family member 1
UniProt Protein Name	Linker for activation of T-cells family member 1
UniProt Gene Name	Lat
UniProt Synonym Gene Names	pp36

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-rtu-elisa-kits/linker-for-activation-of-t-cell-lat/216733>