

Mouse Left/Right Determination Factor 2 (LEFTY2) RTU ELISA Kit | LEFTY2 rtu elisa kit

Mouse Left/Right Determination Factor 2 (LEFTY2) ELISA Kit

CATALOG #
AAA216764

REACTIVITY
Mouse


PRODUCT SYNONYMS

Left/Right Determination Factor 2 (LEFTY2); Mouse Left/Right Determination Factor 2 (LEFTY2) ELISA Kit; TGFB4; EBAF; LEFTA; LEFTYA; Endometrial Bleeding Associated Factor; Left-right determination factor A; Transforming growth factor beta-4; LEFTY2 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	368
Assay Type	Sandwich
Samples	Serum, Plasma or Other Biological Fluids.
Detection Range	15.6-1000pg/mL
Sensitivity	5.5pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LEFTY2 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to LEFTY2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to LEFTY2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain LEFTY2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of LEFTY2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	28893031
NCBI GeneID	320202
NCBI Accession #	NP_796073.1
NCBI GenBank Nucleotide #	NM_177099.4
UniProt Accession #	P57785; Q8BMF7
Molecular Weight	41,175 Da
NCBI Official Full Name	left-right determination factor 2 preproprotein
NCBI Official Synonym Full Names	left-right determination factor 2
NCBI Official Symbol	Lefty2
NCBI Official Synonym Symbols	Ebaf; Lefta; Leftb; lefty-2; lefty-B; 6030463A22Rik
NCBI Protein Information	left-right determination factor 2
UniProt Protein Name	Left-right determination factor 2
UniProt Gene Name	Lefty2
UniProt Synonym Gene Names	Leftb

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-rtu-elisa-kits/left-right-determination-factor-2-lefty2/216764>