

Mouse Monocyte Chemotactic Protein 3 (MCP3) RTU ELISA Kit | MCP3 rtu elisa kit

Mouse Monocyte Chemotactic Protein 3 (MCP3) ELISA Kit

CATALOG #
AAA216975

REACTIVITY
Mouse


PRODUCT SYNONYMS

Monocyte Chemotactic Protein 3 (MCP3); Mouse Monocyte Chemotactic Protein 3 (MCP3) ELISA Kit; CCL7; FIC; MARC; NC28; MCP3; SCYA7; Chemokine C-C-Motif Ligand 7; Small Inducible Cytokine A7; Monocyte Chemoattractant Protein 3; MCP3 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	97
Assay Type	Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates or Other Biological Fluids.
Detection Range	15.6-1000pg/mL
Sensitivity	5.4pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MCP3 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to MCP3. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to MCP3. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain MCP3, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of MCP3 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	7305463
NCBI GeneID	20306
NCBI Accession #	NP_038682.1
NCBI GenBank Nucleotide #	NM_013654.3
UniProt Accession #	Q03366
Molecular Weight	10,999 Da
NCBI Official Full Name	C-C motif chemokine 7
NCBI Official Synonym Full Names	chemokine (C-C motif) ligand 7
NCBI Official Symbol	Ccl7
NCBI Official Synonym Symbols	fic; marc; mcp3; MCP-3; Scya7
NCBI Protein Information	C-C motif chemokine 7
UniProt Protein Name	C-C motif chemokine 7
UniProt Gene Name	Ccl7
UniProt Synonym Gene Names	Fic; Mcp3; Scya7; MCP-3

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-rtu-elisa-kits/monocyte-chemotactic-protein-3-mcp3/216975>