

Human Monocyte To Macrophage Differentiation Associated Protein (MMA) RTU ELISA Kit

| MMA rtu elisa kit

Human Monocyte To Macrophage Differentiation Associated Protein (MMA) ELISA Kit

CATALOG #
AAA217075

REACTIVITY
Human


PRODUCT SYNONYMS

Monocyte To Macrophage Differentiation Associated Protein (MMA); Human Monocyte To Macrophage Differentiation Associated Protein (MMA) ELISA Kit; MMD; PAQR11; Progesterone and adiponectin receptor family member 11; MMA rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	238
Assay Type	Sandwich
Samples	Tissue Homogenates, Cell Lysates or Other Biological Fluids.
Detection Range	0.156-10ng/mL
Sensitivity	0.061ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MMA rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to MMA. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to MMA. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain MMA, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of MMA in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	52630445
NCBI GeneID	23531
NCBI Accession #	NP_036461.2
NCBI GenBank Nucleotide #	NM_012329.2
UniProt Accession #	Q15546; Q8TAN7; B2R6X9; D3DTY6
Molecular Weight	27,667 Da
NCBI Official Full Name	monocyte to macrophage differentiation factor
NCBI Official Synonym Full Names	monocyte to macrophage differentiation associated
NCBI Official Symbol	MMD
NCBI Official Synonym Symbols	MMA; MMD1; PAQR11
NCBI Protein Information	monocyte to macrophage differentiation factor
UniProt Protein Name	Monocyte to macrophage differentiation factor
UniProt Gene Name	MMD

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/monocyte-to-macrophage-differentiation-associated-protein-mma/217075>