

Rat Nuclear Receptor Subfamily 1, Group D, Member 2 (NR1D2) RTU ELISA Kit | NR1D2 rtu elisa kit

Rat Nuclear Receptor Subfamily 1, Group D, Member 2 (NR1D2) ELISA Kit

CATALOG # AAA217462	REACTIVITY Rat
-------------------------------	--------------------------


PRODUCT SYNONYMS

Nuclear Receptor Subfamily 1; Group D; Member 2 (NR1D2); Rat Nuclear Receptor Subfamily 1; Member 2 (NR1D2) ELISA Kit; HZF2; BD73; EAR-1r; RVR; Rev-ErbA Beta; Orphan nuclear hormone receptor BD73; Rev-erb alpha-related receptor; V-erbA-related protein 1-related; NR1D2 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Sequence Length	578
Assay Type	Sandwich
Samples	Tissue Homogenates or Other Biological Fluids.
Detection Range	0.156-10ng/mL
Sensitivity	0.066ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for NR1D2 rtu elisa kit	Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to NR1D2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to NR1D2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain NR1D2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of NR1D2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	584277018
-----------	-----------

NCBI GeneID	259241
NCBI Accession #	NP_671743.2
NCBI GenBank Nucleotide #	NM_147210.2
UniProt Accession #	Q63504 ; Q62756 ; Q63542
Molecular Weight	42,271 Da
NCBI Official Full Name	nuclear receptor subfamily 1 group D member 2
NCBI Official Synonym Full Names	nuclear receptor subfamily 1, group D, member 2
NCBI Official Symbol	Nr1d2
NCBI Official Synonym Symbols	HZF-2
NCBI Protein Information	nuclear receptor subfamily 1 group D member 2
UniProt Protein Name	Nuclear receptor subfamily 1 group D member 2
UniProt Gene Name	Nr1d2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/rat-rtu-elisa-kits/nuclear-receptor-subfamily-1-group-d-member-2-nr1d2/217462>