

Human Phenylalanine Hydroxylase (PAH) RTU ELISA Kit | PAH rtu elisa kit

Human Phenylalanine Hydroxylase (PAH) ELISA Kit

CATALOG #
AAA217611

REACTIVITY
Human


PRODUCT SYNONYMS

Phenylalanine Hydroxylase (PAH); Human Phenylalanine Hydroxylase (PAH) ELISA Kit; PKU; PKU1; Phe-4-monooxygenase; PAH rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of PAH. No significant cross-reactivity or interference between PAH and analogues was observed.
Sequence Length	452
Samples	Human tissue homogenates, cell lysates or other biological fluids
Assay Type	Quantitative Sandwich
Detection Range	1.56-100ng/mL
Sensitivity	< 0.56ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level PAH were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level PAH were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PAH rtu elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of PAH in human tissue homogenates, cell lysates or other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to PAH. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to PAH. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain PAH, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of PAH in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	4557819
NCBI GeneID	5053
NCBI Accession #	NP_000268.1
NCBI GenBank Nucleotide #	NM_000277.2
UniProt Accession #	P00439; Q16717; Q8TC14
Molecular Weight	51,862 Da
NCBI Official Full Name	phenylalanine-4-hydroxylase
NCBI Official Synonym Full Names	phenylalanine hydroxylase
NCBI Official Symbol	PAH
NCBI Official Synonym Symbols	PH; PKU; PKU1
NCBI Protein Information	phenylalanine-4-hydroxylase
UniProt Protein Name	Phenylalanine-4-hydroxylase
UniProt Gene Name	PAH
UniProt Synonym Gene Names	PAH

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/phenylalanine-hydroxylase-pah/217611>