

Human Protease Activated Receptor 2 (PAR2) RTU ELISA Kit | PAR2 rtu elisa kit

Human Protease Activated Receptor 2 (PAR2) ELISA Kit

CATALOG #
AAA217633

REACTIVITY
Human


PRODUCT SYNONYMS

Protease Activated Receptor 2 (PAR2); Human Protease Activated Receptor 2 (PAR2) ELISA Kit; F2RL1; F2-RL1; GPR11; PAR2; Coagulation Factor II(thrombin)receptor-Like 1; G-protein coupled receptor 11; Thrombin receptor-like 1; PAR2 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	397
Assay Type	Sandwich
Samples	Tissue Homogenates, Cell Lysates or Other Biological Fluids.
Detection Range	0.156-10ng/mL
Sensitivity	0.053ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PAR2 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to PAR2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to PAR2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain PAR2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of PAR2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	34577052
NCBI GeneID	2150
NCBI Accession #	NP_005233.3
NCBI GenBank Nucleotide #	NM_005242.5
UniProt Accession #	P55085; Q13317; Q13346; Q53XJ8
Molecular Weight	44,126 Da
NCBI Official Full Name	proteinase-activated receptor 2 preproprotein
NCBI Official Synonym Full Names	F2R like trypsin receptor 1
NCBI Official Symbol	F2RL1
NCBI Official Synonym Symbols	PAR2; GPR11
NCBI Protein Information	proteinase-activated receptor 2
UniProt Protein Name	Proteinase-activated receptor 2
UniProt Gene Name	F2RL1
UniProt Synonym Gene Names	GPR11; PAR2; PAR-2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/protease-activated-receptor-2-par2/217633>