

Mouse Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) RTU ELISA Kit | PCSK9 rtu elisa kit

Mouse Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) ELISA Kit

CATALOG #
AAA217669

REACTIVITY
Mouse


PRODUCT SYNONYMS

Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9); Mouse Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) ELISA Kit; FH3; HCHOLA3; NARC1; Hypercholesterolemia; Autosomal Dominant 3; Neural apoptosis-regulated convertase 1; Proprotein convertase 9; Subtilisin/kexin-like protease PC9; PCSK9 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	694
Assay Type	Sandwich
Samples	Serum, Plasma or Other Biological Fluids.
Detection Range	15.6-1000pg/mL
Sensitivity	6.4pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PCSK9 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to PCSK9. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to PCSK9. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain PCSK9, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of PCSK9 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	23956352
NCBI GeneID	100102
NCBI Accession #	NP_705793.1
NCBI GenBank Nucleotide #	NM_153565.2
UniProt Accession #	Q80W65; Q3UEH7; Q8BXW9; Q8CFT6; B1AZI4
Molecular Weight	74,823 Da
NCBI Official Full Name	proprotein convertase subtilisin/kexin type 9
NCBI Official Synonym Full Names	proprotein convertase subtilisin/kexin type 9
NCBI Official Symbol	Pcsk9
NCBI Official Synonym Symbols	FH3; PC9; Narc1; HCHOLA3; AI415265; AI747682
NCBI Protein Information	proprotein convertase subtilisin/kexin type 9
UniProt Protein Name	Proprotein convertase subtilisin/kexin type 9
UniProt Gene Name	Pcsk9
UniProt Synonym Gene Names	Narc1; NARC-1; PC9

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-rtu-elisa-kits/proprotein-convertase-subtilisin-kexin-type-9-pcsk9/217669>