

Rat Platelet Derived Growth Factor D (PDGFD) RTU ELISA Kit | PDGFD rtu elisa kit

Rat Platelet Derived Growth Factor D (PDGFD) ELISA Kit

CATALOG #
AAA217705

REACTIVITY
Rat


PRODUCT SYNONYMS

Platelet Derived Growth Factor D (PDGFD); Rat Platelet Derived Growth Factor D (PDGFD) ELISA Kit; PDGF-D; IEGF; SCDGF-B; Spinal Cord Derived Growth Factor B; Iris-expressed growth factor; Platelet-derived growth factor D; receptor-binding form latent form; PDGFD rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Sequence Length	370
Assay Type	Sandwich
Samples	Serum, Plasma or Other Biological Fluids.
Detection Range	0.312-20ng/mL
Sensitivity	0.125ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PDGFD rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to PDGFD. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to PDGFD. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain PDGFD, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of PDGFD in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	25742601
NCBI GeneID	66018
NCBI Accession #	NP_076452.1
NCBI GenBank Nucleotide #	NM_023962.2
UniProt Accession #	Q9EQT1
Molecular Weight	42,128 Da
NCBI Official Full Name	platelet-derived growth factor D
NCBI Official Synonym Full Names	platelet derived growth factor D
NCBI Official Symbol	Pdgfd
NCBI Official Synonym Symbols	Scdgfb; rSCDGF-B
NCBI Protein Information	platelet-derived growth factor D
UniProt Protein Name	Platelet-derived growth factor D
UniProt Gene Name	Pdgfd
UniProt Synonym Gene Names	legf; Scdgfb; PDGF-D; SCDGF-B; PDGFD latent form; PDGFD receptor-binding form

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/rat-rtu-elisa-kits/platelet-derived-growth-factor-d-pdgfd/217705>