

Mouse TATA Box Binding Protein Associated Factor 12 (TAF12) RTU ELISA Kit | TAF12 rtu elisa kit

Mouse TATA Box Binding Protein Associated Factor 12 (TAF12) ELISA Kit

CATALOG #
AAA218638

REACTIVITY
Mouse


PRODUCT SYNONYMS

TATA Box Binding Protein Associated Factor 12 (TAF12); Mouse TATA Box Binding Protein Associated Factor 12 (TAF12) ELISA Kit; TAF2J; TAFII20; Transcription Initiation Factor TFIID Subunit 12; Transcription initiation factor TFIID 20/15 kDa subunits; TAF12 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	161
Assay Type	Sandwich
Samples	Tissue Homogenates or Other Biological Fluids.
Detection Range	0.156-10ng/mL
Sensitivity	0.059ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TAF12 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to TAF12. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to TAF12. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TAF12, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of TAF12 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	227330588
NCBI GeneID	66464
NCBI Accession #	NP_079855.2
NCBI GenBank Nucleotide #	NM_025579.3
UniProt Accession #	Q8VE65; Q3V0S7; Q9CZ11; Q9D8Q0
Molecular Weight	17,875 Da
NCBI Official Full Name	transcription initiation factor TFIID subunit 12
NCBI Official Synonym Full Names	TATA-box binding protein associated factor 12
NCBI Official Symbol	Taf12
NCBI Official Synonym Symbols	20kDa; Taf2J; AW557038; 2810422D08Rik
NCBI Protein Information	transcription initiation factor TFIID subunit 12
UniProt Protein Name	Transcription initiation factor TFIID subunit 12
UniProt Gene Name	Taf12
UniProt Synonym Gene Names	TAFII-20; TAFII20

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-rtu-elisa-kits/tata-box-binding-protein-associated-factor-12-taf12/218638>