

Mouse Tumor Necrosis Factor Receptor Superfamily, Member 4 (TNFRSF4) RTU ELISA Kit | TNFRSF4 rtu elisa kit

Mouse Tumor Necrosis Factor Receptor Superfamily, Member 4 (TNFRSF4) ELISA Kit

CATALOG # AAA218895	REACTIVITY Mouse
-------------------------------	----------------------------


PRODUCT SYNONYMS

Tumor Necrosis Factor Receptor Superfamily; Member 4 (TNFRSF4); Mouse Tumor Necrosis Factor Receptor Superfamily; Member 4 (TNFRSF4) ELISA Kit; CD134; TNFRSF4; ACT35; OX40; TXGP1L; TAX transcriptionally-activated glycoprotein 1 receptor; TNFRSF4 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	272
Assay Type	Sandwich
Samples	Serum, Plasma, Tissue Homogenates or Other Biological Fluids.
Detection Range	31.2-2000pg/mL
Sensitivity	13.7pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TNFRSF4 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to TNFRSF4. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to TNFRSF4. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TNFRSF4, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of TNFRSF4 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	6755909
NCBI GeneID	22163
NCBI Accession #	NP_035789.1
NCBI GenBank Nucleotide #	NM_011659.2
UniProt Accession #	P47741
Molecular Weight	30,154 Da
NCBI Official Full Name	tumor necrosis factor receptor superfamily member 4
NCBI Official Synonym Full Names	tumor necrosis factor receptor superfamily, member 4
NCBI Official Symbol	Tnfrsf4
NCBI Official Synonym Symbols	Ox40; ACT35; CD134; Ly-70; Txgp1; TXGP1L
NCBI Protein Information	tumor necrosis factor receptor superfamily member 4
UniProt Protein Name	Tumor necrosis factor receptor superfamily member 4
UniProt Gene Name	Tnfrsf4
UniProt Synonym Gene Names	Ox40; Txgp1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-rtu-elisa-kits/tumor-necrosis-factor-receptor-superfamily-member-4-tnfrsf4/218895>