

Mouse Tumor Necrosis Factor Ligand Superfamily, Member 13 (TNFSF13) RTU ELISA Kit | TNFSF13 rtu elisa kit

Mouse Tumor Necrosis Factor Ligand Superfamily, Member 13 (TNFSF13) ELISA Kit

CATALOG #
AAA218903

REACTIVITY
Mouse


PRODUCT SYNONYMS

Tumor Necrosis Factor Ligand Superfamily; Member 13 (TNFSF13); Mouse Tumor Necrosis Factor Ligand Superfamily; Member 13 (TNFSF13) ELISA Kit; CD256; APRIL; TALL2; TRDL1; ZTNF2; A Proliferation Inducing Ligand; TNF And APOL Related Leukocyte Expressed Ligand 2; TNF-Related Death Ligand 1; TNFSF13 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	240
Assay Type	Sandwich
Samples	Serum, Plasma or Other Biological Fluids.
Detection Range	46.8-3000pg/mL
Sensitivity	22.7pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TNFSF13 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to TNFSF13. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to TNFSF13. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TNFSF13, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of TNFSF13 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	226958398
NCBI GeneID	69583
NCBI Accession #	NP_001152977.1
NCBI GenBank Nucleotide #	NM_001159505.1
UniProt Accession #	Q9D777; Q9ERP1
Molecular Weight	26,889 Da
NCBI Official Full Name	tumor necrosis factor ligand superfamily member 13 isoform 2
NCBI Official Synonym Full Names	tumor necrosis factor (ligand) superfamily, member 13
NCBI Official Symbol	Tnfsf13
NCBI Official Synonym Symbols	April; Tall2; Trdl1; Tnlg7b; 2310026N09Rik
NCBI Protein Information	tumor necrosis factor ligand superfamily member 13
UniProt Protein Name	Tumor necrosis factor ligand superfamily member 13
UniProt Gene Name	Tnfsf13
UniProt Synonym Gene Names	April; APRIL

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-rtu-elisa-kits/tumor-necrosis-factor-ligand-superfamily-member-13-tnfsf13/218903>