

Human Transient Receptor Potential Cation Channel Subfamily A, Member 1 (TRPA1) RTU ELISA Kit | TRPA1 rtu elisa kit

Human Transient Receptor Potential Cation Channel Subfamily A, Member 1 (TRPA1) ELISA Kit

CATALOG #
AAA219008

REACTIVITY
Human


PRODUCT SYNONYMS

Transient Receptor Potential Cation Channel Subfamily A; Member 1 (TRPA1); Human Transient Receptor Potential Cation Channel Subfamily A; Member 1 (TRPA1) ELISA Kit; ANKTM1; Ankyrin-like with transmembrane domains protein 1; Transformation-sensitive protein p120; TRPA1 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	1119
Assay Type	Sandwich
Samples	Tissue Homogenates, Cell Lysates or Other Biological Fluids.
Detection Range	0.625-40ng/mL
Sensitivity	0.214ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TRPA1 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to TRPA1. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to TRPA1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TRPA1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of TRPA1 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	116534990
NCBI GeneID	8989
NCBI Accession #	NP_015628.2
NCBI GenBank Nucleotide #	NM_007332.2
UniProt Accession #	O75762; A6NIN6
Molecular Weight	127,501 Da
NCBI Official Full Name	transient receptor potential cation channel subfamily A member 1
NCBI Official Synonym Full Names	transient receptor potential cation channel subfamily A member 1
NCBI Official Symbol	TRPA1
NCBI Official Synonym Symbols	FEPS; FEPS1; ANKTM1
NCBI Protein Information	transient receptor potential cation channel subfamily A member 1
UniProt Protein Name	Transient receptor potential cation channel subfamily A member 1
UniProt Gene Name	TRPA1
UniProt Synonym Gene Names	ANKTM1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/transient-receptor-potential-cation-channel-subfamily-a-member-1-trpa1/219008>