

Human Spleen Focus Forming Virus Proviral Integration Oncogene (SPI1) RTU ELISA Kit | SPI1 rtu elisa kit

Human Spleen Focus Forming Virus Proviral Integration Oncogene (SPI1) ELISA Kit

CATALOG #
AAA219521

REACTIVITY
Human


PRODUCT SYNONYMS

Spleen Focus Forming Virus Proviral Integration Oncogene (SPI1); Human Spleen Focus Forming Virus Proviral Integration Oncogene (SPI1) ELISA Kit; OF; PU.1; SFPI1; SPI-1; SPI-A; SPI-1 Proto-Oncogene; Hematopoietic Transcription Factor PU.1; 31 kDa Transforming Protein; SPI1 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	271
Assay Type	Sandwich
Samples	Tissue Homogenates, Cell Lysates or Other Biological Fluids.
Detection Range	78.1-5000pg/mL
Sensitivity	33.2pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for SPI1 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to SPI1. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to SPI1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain SPI1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of SPI1 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	124028521
NCBI GeneID	6688
NCBI Accession #	NP_001074016.1
NCBI GenBank Nucleotide #	NM_001080547.1
UniProt Accession #	P17947
Molecular Weight	31,211 Da
NCBI Official Full Name	transcription factor PU.1 isoform 1
NCBI Official Synonym Full Names	Spi-1 proto-oncogene
NCBI Official Symbol	SPI1
NCBI Official Synonym Symbols	OF; PU.1; SFPI1; SPI-1; SPI-A
NCBI Protein Information	transcription factor PU.1
UniProt Protein Name	Transcription factor PU.1
UniProt Gene Name	SPI1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/spleen-focus-forming-virus-proviral-integration-oncogene-spi1/219521>