

Human UDP Glucose Ceramide Glucosyltransferase (UGCG) RTU ELISA Kit | UGCG rtu elisa kit

Human UDP Glucose Ceramide Glucosyltransferase (UGCG) ELISA Kit

CATALOG #
AAA219550

REACTIVITY
Human


PRODUCT SYNONYMS

UDP Glucose Ceramide Glucosyltransferase (UGCG); Human UDP Glucose Ceramide Glucosyltransferase (UGCG) ELISA Kit; GCS; GLCT-1; Glucosylceramide Synthase; N-acylsphingosine D-glucosyltransferase; UGCG rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	394
Assay Type	Sandwich
Samples	Tissue Homogenates, Cell Lysates or Other Biological Fluids.
Detection Range	0.312-20ng/mL
Sensitivity	0.115ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for UGCG rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to UGCG. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to UGCG. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain UGCG, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of UGCG in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4507811
NCBI GeneID	7357
NCBI Accession #	NP_003349.1
NCBI GenBank Nucleotide #	NM_003358.2
UniProt Accession #	Q16739; Q5T258
Molecular Weight	44,854 Da
NCBI Official Full Name	ceramide glucosyltransferase
NCBI Official Synonym Full Names	UDP-glucose ceramide glucosyltransferase
NCBI Official Symbol	UGCG
NCBI Official Synonym Symbols	GCS; GLCT1
NCBI Protein Information	ceramide glucosyltransferase
UniProt Protein Name	Ceramide glucosyltransferase
UniProt Gene Name	UGCG
UniProt Synonym Gene Names	GCS

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/udp-glucose-ceramide-glucosyltransferase-ugcg/219550>