

Human Ubiquinol Cytochrome C Reductase Core Protein II (UQCRC2) RTU ELISA Kit | UQCRC2 rtu elisa kit

Human Ubiquinol Cytochrome C Reductase Core Protein II (UQCRC2) ELISA Kit

CATALOG #
AAA219552

REACTIVITY
Human


PRODUCT SYNONYMS

Ubiquinol Cytochrome C Reductase Core Protein II (UQCRC2); Human Ubiquinol Cytochrome C Reductase Core Protein II (UQCRC2) ELISA Kit; QCR2; UQCR2; Cytochrome b-c1 complex subunit 2; mitochondrial; Complex III subunit 2; Core protein II; UQCRC2 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	453
Assay Type	Sandwich
Samples	Tissue Homogenates or Other Biological Fluids.
Detection Range	0.312-20ng/mL
Sensitivity	0.131ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for UQCRC2 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to UQCRC2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to UQCRC2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain UQCRC2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of UQCRC2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	50592988
NCBI GeneID	7385
NCBI Accession #	NP_003357.2
NCBI GenBank Nucleotide #	NM_003366.3
UniProt Accession #	P22695; Q9BQ05; B3KSN4
Molecular Weight	48,443 Da
NCBI Official Full Name	cytochrome b-c1 complex subunit 2, mitochondrial
NCBI Official Synonym Full Names	ubiquinol-cytochrome c reductase core protein 2
NCBI Official Symbol	UQCRC2
NCBI Official Synonym Symbols	QCR2; UQCR2; MC3DN5
NCBI Protein Information	cytochrome b-c1 complex subunit 2, mitochondrial
UniProt Protein Name	Cytochrome b-c1 complex subunit 2, mitochondrial
UniProt Gene Name	UQCRC2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/ubiquinol-cytochrome-c-reductase-core-protein-ii-uqcrc2/219552>