

Human Mu-Type Opioid Receptor (OPRM1) ELISA Kit | OPRM1 elisa kit

Human Mu-Type Opioid Receptor (OPRM1) ELISA Kit

CATALOG #
AAA219648

REACTIVITY
Human


PRODUCT SYNONYMS

Mu-Type Opioid Receptor (OPRM1); Human Mu-Type Opioid Receptor (OPRM1) ELISA Kit; M-OR-1; MOR-1; MOR1; Mu opiate receptor; Mu opioid receptor; MOP; hMOP; OPRM1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of OMD. No significant cross-reactivity or interference between OMD and analogues was observed.
Sequence Length	400
Samples	Human Serum, Plasma, Tissue Homogenates Or Other Biological Fluids
Assay Type	Quantitative Sandwich
Detection Range	78.1-5000pg/mL
Sensitivity	31.8pg/mL.
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level OMD were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level OMD were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	Stable for 12 months.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for OPRM1 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of OMD in human serum, plasma, tissue homogenates or other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to OMD. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to OMD. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain OMD, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of OMD in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	117940060
NCBI GeneID	4988
NCBI Accession #	NP_000905.3
NCBI GenBank Nucleotide #	NM_000914.4
UniProt Accession #	P35372; Q12930; Q4VWM1; Q4VWM2; B0FXJ1; B2R9S7; B8Q1L7; B8Q1L8; B8Q1L9; E7EWZ3; G8XRH6; G8XRH8
Molecular Weight	43,957 Da
NCBI Official Full Name	mu-type opioid receptor isoform MOR-1
NCBI Official Synonym Full Names	opioid receptor mu 1
NCBI Official Symbol	OPRM1
NCBI Official Synonym Symbols	MOP; MOR; LMOR; MOR1; OPRM; M-OR-1
NCBI Protein Information	mu-type opioid receptor
UniProt Protein Name	Mu-type opioid receptor
UniProt Gene Name	OPRM1
UniProt Synonym Gene Names	MOR1; M-OR-1; MOR-1; MOP; hMOP

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/mu-type-opioid-receptor-oprm1/219648>