

Human NACHT, LRR and PYD Domains-Containing Protein 3 (NLRP3) RTU ELISA Kit | NLRP3 rtu elisa kit

Human NACHT, LRR and PYD Domains-Containing Protein 3 (NLRP3) ELISA Kit

CATALOG # AAA219722	REACTIVITY Human
-------------------------------	----------------------------


PRODUCT SYNONYMS

NACHT; LRR and PYD Domains-Containing Protein 3 (NLRP3); Human NACHT; LRR and PYD Domains-Containing Protein 3 (NLRP3) ELISA Kit; PYRIN-containing APAF1-like protein 1; Cryopyrin; Cold autoinflammatory syndrome 1 protein; Angiotensin/vasopressin receptor AII/AVP-like; Caterpillar protein 1.1(CLR1.1); NLRP3 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of NKCC2. No significant cross-reactivity or interference between NKCC2 and analogues was observed.
Samples	Human Tissue Homogenates, Cell Lysates Or Other Biological Fluids
Assay Type	Quantitative Sandwich
Detection Range	31.2-2000pg/mL
Sensitivity	13.8pg/mL.
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level NKCC2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level NKCC2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for NLRP3 rtu elisa kit	<p>Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of NKCC2 in human tissue homogenates, cell lysates or other biological fluids.</p> <p>Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to NKCC2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to NKCC2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain NKCC2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of NKCC2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.</p>
---	--

NCBI AND UNIPROT INFORMATION

NCBI GeneID	114548
UniProt Accession #	Q96P20 ; Q96P20
NCBI Official Synonym Full Names	NLR family pyrin domain containing 3
NCBI Official Symbol	NLRP3
NCBI Official Synonym Symbols	AlI; AVP; FCU; MWS; FCAS; KEFH; CIAS1; FCAS1; NALP3; C1orf7; CLR1.1; DFNA34; PYPAF1; AGTAVPRL
NCBI Protein Information	NACHT, LRR and PYD domains-containing protein 3

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/nacht-lrr-and-pyd-domains-containing-protein-3-nlrp3/219722>