

Rabbit anti-Human BRD3 Polyclonal Antibody | anti-BRD3 antibody

Rabbit anti-BRD3 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA220361	Rabbit	Human	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

BRD3; Polyclonal Antibody; Rabbit anti-BRD3 Antibody; KIAA0043; RING3L; Bromodomain-containing protein 3; RING3-like protein; anti-BRD3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-BRD3 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human BRD3. The exact sequence is proprietary.
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of BRD3 staining in HepG2 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of BRD3 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)
Western blot analysis of BRD3 expression in Saos2 (A), HepG2 (B) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-BRD3 antibody	Primary antibodies
--	--------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	11067749
NCBI GeneID	8019
NCBI Accession #	NP_031397.1
NCBI GenBank Nucleotide #	NM_007371.3
UniProt Accession #	Q15059; Q4G5Y3; Q5T1R7; Q8N5M3; Q92645; B1APD9
Molecular Weight	79,542 Da
NCBI Official Full Name	bromodomain-containing protein 3
NCBI Official Synonym Full Names	bromodomain containing 3
NCBI Official Symbol	BRD3
NCBI Official Synonym Symbols	ORFX; RING3L
NCBI Protein Information	bromodomain-containing protein 3; RING3-like protein; bromodomain-containing 3
UniProt Protein Name	Bromodomain-containing protein 3
UniProt Gene Name	BRD3
UniProt Synonym Gene Names	KIAA0043; RING3L
UniProt Entry Name	BRD3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.