

Rabbit anti-Human IRF4 Polyclonal Antibody | anti-IRF4 antibody

Rabbit anti-IRF4 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA220417	Rabbit	Human	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

IRF4; Polyclonal Antibody; Rabbit anti-IRF4 Antibody; MUM1; Interferon regulatory factor 4; IRF-4; Lymphocyte-specific interferon regulatory factor; LSIRF; Multiple myeloma oncogene 1; NF-EM5; anti-IRF4 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-IRF4 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human IRF4. The exact sequence is proprietary.
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of IRF4 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of IRF4 staining in human tonsil formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)
 Western blot analysis of IRF4 expression in A549 (A), Ramos (B) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-IRF4 antibody	Primary antibodies
--	--------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	305632828
NCBI GeneID	3662
NCBI Accession #	NP_001182215.1
NCBI GenBank Nucleotide #	NM_001195286.1
UniProt Accession #	Q15306; Q5VUI7; Q99660
Molecular Weight	51,772 Da
NCBI Official Full Name	interferon regulatory factor 4 isoform 2
NCBI Official Synonym Full Names	interferon regulatory factor 4
NCBI Official Symbol	IRF4
NCBI Official Synonym Symbols	MUM1; LSIRF; NF-EM5
NCBI Protein Information	interferon regulatory factor 4; multiple myeloma oncogene 1; lymphocyte-specific interferon regulatory factor
UniProt Protein Name	Interferon regulatory factor 4
UniProt Gene Name	IRF4
UniProt Synonym Gene Names	MUM1; IRF-4; LSIRF
UniProt Entry Name	IRF4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.