

Rabbit Cyclophilin F Polyclonal Antibody | anti-PPIF antibody

Rabbit anti-Cyclophilin F Antibody

CATALOG # AAA222544	HOST Rabbit	REACTIVITY Human, Mouse, Rat, Rabbit	APPLICATIONS Immunoprecipitation, Immunofluorescence, Western Blot
-------------------------------	-----------------------	--	--


PRODUCT SYNONYMS

Cyclophilin F; Polyclonal Antibody; Rabbit anti-Cyclophilin F Antibody; CYP3; Peptidyl-prolyl cis-trans isomerase F; mitochondrial; PPIase F; Cyclophilin D; CyP-D; CyPD; Mitochondrial cyclophilin; CyP-M; Rotamase F; anti-PPIF antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat, Rabbit
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-PPIF antibody	IP (Immunoprecipitation), IC (Immunochemistry), IF (Immunofluorescence), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human Cyclophilin F. The exact sequence is proprietary.
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of Cyclophilin F staining in K562 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



IHC (Immunohistochemistry)



WB (Western Blot)

Western blot analysis of Cyclophilin F expression in HeLa (A), K562 (B), HL60 (C), Jurkat (D) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-PPIF antibody	Primary antibodies
--	--------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	5031987
NCBI GeneID	10105
NCBI Accession #	NP_005720.1
NCBI GenBank Nucleotide #	NM_005729.3
UniProt Accession #	P30405; Q99KR7; P29117
Molecular Weight	22,040 Da
NCBI Official Full Name	peptidyl-prolyl cis-trans isomerase F, mitochondrial
NCBI Official Synonym Full Names	peptidylprolyl isomerase F
NCBI Official Symbol	PPIF
NCBI Official Synonym Symbols	CYP3; CypD; CyP-M; Cyp-D
NCBI Protein Information	peptidyl-prolyl cis-trans isomerase F, mitochondrial; PPIase F; rotamase F; cyclophilin 3; cyclophilin D; cyclophilin F; mitochondrial cyclophilin; peptidyl-prolyl cis-trans isomerase, mitochondrial
UniProt Protein Name	Peptidyl-prolyl cis-trans isomerase F, mitochondrial
UniProt Gene Name	PPIF
UniProt Synonym Gene Names	CYP3; PPIase F; CyP-D; CypD; CyP-M
UniProt Entry Name	PPIF_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/cyclophilin-f-antibody-immunoprecipitation-immunochemistry-immunofluorescence-western-blot-elisa/222544>