

Rabbit NF-kappaB p105 Polyclonal Antibody | anti-NF-kappaBp105 antibody

Rabbit anti-NF-kappaB p105 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA222682	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

NF-kappaB p105; Polyclonal Antibody; Rabbit anti-NF-kappaB p105 Antibody; Nuclear factor NF-kappa-B p105 subunit; DNA-binding factor KBF1; EBP-1; Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1; anti-NF-kappaBp105 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-NF-kappaBp105 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human NF-kappaB p105. The exact sequence is proprietary.
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of NF-kappaB p105 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of NF-kappaB p105 staining in human prostate cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of NF-kappaB p105 expression in HEK293T (A), HeLa (B), mouse brain (C), rat brain (D) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-NF-kappaBp105 antibody Primary antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	259155302
NCBI GeneID	4790
NCBI Accession #	NP_001158884.1
NCBI GenBank Nucleotide #	NM_001165412.1
UniProt Accession #	P19838; P25799; Q63369
Molecular Weight	105,356 Da
NCBI Official Full Name	nuclear factor NF-kappa-B p105 subunit isoform 2
NCBI Official Synonym Full Names	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1
NCBI Official Symbol	NFKB1
NCBI Official Synonym Symbols	p50; KBF1; p105; EBP-1; NF-kB1; NFKB-p50; NFkappaB; NF-kappaB; NFKB-p105; NF-kappa-B
NCBI Protein Information	nuclear factor NF-kappa-B p105 subunit; NF-kappabeta; DNA binding factor KBF1; DNA-binding factor KBF1; nuclear factor NF-kappa-B p50 subunit; nuclear factor kappa-B DNA binding subunit
UniProt Protein Name	Nuclear factor NF-kappa-B p105 subunit
UniProt Gene Name	NFKB1
UniProt Entry Name	NFKB1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/nf-kappab-p105-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/222682>