

Rabbit CRKL Polyclonal Antibody | anti-CRKL antibody

Rabbit anti-CRKL Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA222793	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

CRKL; Polyclonal Antibody; Rabbit anti-CRKL Antibody; Crk-like protein; anti-CRKL antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-CRKL antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human CRKL. The exact sequence is proprietary.
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of CRKL staining in HuvEc cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with Alexa Fluor 647-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of CRKL staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of CRKL expression in HEK293T (A), SGC7901 (B) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-CRKL antibody

Primary antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	4885153
NCBI GeneID	1399
NCBI Accession #	NP_005198.1
NCBI GenBank Nucleotide #	NM_005207.3
UniProt Accession #	P46109; P47941; Q5U2U2
Molecular Weight	33,777 Da
NCBI Official Full Name	crk-like protein
NCBI Official Synonym Full Names	v-crk sarcoma virus CT10 oncogene homolog (avian)-like
NCBI Official Symbol	CRKL
NCBI Protein Information	crk-like protein
UniProt Protein Name	Crk-like protein
UniProt Gene Name	CRKL
UniProt Entry Name	CRKL_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/crkl-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/222793>