

Rabbit MAP2K4 Polyclonal Antibody | anti-MAP2K4 antibody

MAP2K4 Polyclonal Antibody

CATALOG # AAA22281	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot, Immunohistochemistry, Immunofluorescence
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

MAP2K4; Polyclonal Antibody; MAP2K4 Polyclonal Antibody; JNKK; JNKK1; MAPKK4; MEK4; MKK4; PRKMK4; SAPKK-1; SAPKK1; SEK1; SERK1; SKK1; mitogen-activated protein kinase kinase 4; anti-MAP2K4 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH 7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-MAP2K4 antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence)
Application Notes	WB: 1:500-1:2000 IHC: 1:50-1:200 IF: 1:50-1:200
Immunogen	Recombinant fusion protein of human MAP2K4
Research Area	Cancer, Signal Transduction
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Rat lung using MAP2K4 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human colon cancer using MAP2K4 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Mouse kidney using MAP2K4 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Rat ovary using MAP2K4 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Mouse liver using MAP2K4 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



WB (Western Blot)

Western blot analysis of various lysates using MAP2K4 Polyclonal Antibody at 1:1000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-MAP2K4 antibody

This gene encodes a member of the mitogen-activated protein kinase (MAPK) family. Members of this family act as an integration point for multiple biochemical signals and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation, and development. They form a three-tiered signaling module composed of MAPKKKs, MAPKKs, and MAPKs. This protein is phosphorylated at serine and threonine residues by MAPKKKs and subsequently phosphorylates downstream MAPK targets at threonine and tyrosine residues. A similar protein in mouse has been reported to play a role in liver organogenesis. A pseudogene of this gene is located on the long arm of chromosome X. Alternative splicing results in multiple transcript variants.

Product Categories/Family for anti-MAP2K4 antibody

[Antibodies](#); [Primary Antibodies](#); [Polyclonal Antibody](#)

NCBI AND UNIPROT INFORMATION

NCBI GI #	4506889
NCBI GeneID	6416
NCBI Accession #	NP_003001.1
NCBI GenBank Nucleotide #	NM_003010.2
UniProt Accession #	P45985 ; Q5U0B8 ; Q6FHX4 ; Q6P9H2 ; Q6PIE6 ; B2R7N7 ; B3KYB2 ; D3DTS5
Molecular Weight	44,288 Da

NCBI Official Full Name	dual specificity mitogen-activated protein kinase kinase 4
NCBI Official Synonym Full Names	mitogen-activated protein kinase kinase 4
NCBI Official Symbol	MAP2K4
NCBI Official Synonym Symbols	JNKK; MEK4; MKK4; SEK1; JNKK1; SERK1; MAPKK4; PRKMK4; SAPKK1; SAPKK-1
NCBI Protein Information	dual specificity mitogen-activated protein kinase kinase 4; MEK 4; MAPKK 4; SAPK kinase 1; MAPK/ERK kinase 4; SAPK/ERK kinase 1; MAP kinase kinase 4; JNK-activated kinase 1; JNK activating kinase 1; JNK-activating kinase 1; c-Jun N-terminal kinase kinase
UniProt Protein Name	Dual specificity mitogen-activated protein kinase kinase 4
UniProt Gene Name	MAP2K4
UniProt Synonym Gene Names	JNKK1; MEK4; MKK4; PRKMK4; SEK1; SERK1; SKK1; MAP kinase kinase 4; MAPKK 4; MEK 4; SEK1; SAPK kinase 1; SAPKK-1; SAPKK1; JNKK
UniProt Entry Name	MP2K4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/map2k4-antibody-western-blot-immunohistochemistry-immunofluorescence-elisa/22281>