

Rabbit PP1 beta Polyclonal Antibody | anti-PP1beta antibody

Rabbit anti-PP1 beta Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA222840	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

PP1 beta; Polyclonal Antibody; Rabbit anti-PP1 beta Antibody; Serine/threonine-protein phosphatase PP1-beta catalytic subunit; PP-1B; PPP1CD; anti-PP1beta antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-PP1beta antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant full length protein of human PP1 beta
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of PP1 beta staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of PP1 beta staining in human esophageal cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)
Western blot analysis of PP1 beta expression in HL60 (A), PC3 (B), HeLa (C), mouse heart (D) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-PP1beta antibody	Primary antibodies
---	--------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	49065814
NCBI GeneID	5500
UniProt Accession #	P62140; P62141; P62142
Molecular Weight	327
NCBI Official Full Name	Serine/threonine-protein phosphatase PP1-beta catalytic subunit
NCBI Official Synonym Full Names	protein phosphatase 1, catalytic subunit, beta isozyme
NCBI Official Symbol	PPP1CB
NCBI Official Synonym Symbols	PP1B; PP-1B; PPP1CD; PP1beta; HEL-S-80p
NCBI Protein Information	serine/threonine-protein phosphatase PP1-beta catalytic subunit; protein phosphatase 1-beta; protein phosphatase 1-delta; epididymis secretory sperm binding protein Li 80p; protein phosphatase 1, catalytic subunit, beta isoform; protein phosphatase 1, cat
UniProt Protein Name	Serine/threonine-protein phosphatase PP1-beta catalytic subunit
UniProt Gene Name	PPP1CB
UniProt Synonym Gene Names	PP-1B; PPP1CD
UniProt Entry Name	PP1B_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/pp1-beta-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/222840>