

Rabbit PSMD9 Polyclonal Antibody | anti-PSMD9 antibody

Rabbit anti-PSMD9 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA223045	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

PSMD9; Polyclonal Antibody; Rabbit anti-PSMD9 Antibody; 26S proteasome non-ATPase regulatory subunit 9; 26S proteasome regulatory subunit p27; anti-PSMD9 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-PSMD9 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant full length protein of human PSMD9
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of PSMD9 staining in Jurkat cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of PSMD9 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of PSMD9 expression in Jurkat (A), A549 (B) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-PSMD9 antibody

Primary antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	317373521
NCBI GeneID	5715
UniProt Accession #	O00233; Q9CR00; Q9WTV5
Molecular Weight	223
NCBI Official Full Name	26S proteasome non-ATPase regulatory subunit 9
NCBI Official Synonym Full Names	proteasome (prosome, macropain) 26S subunit, non-ATPase, 9
NCBI Official Symbol	PSMD9
NCBI Official Synonym Symbols	p27; Rpn4
NCBI Protein Information	26S proteasome non-ATPase regulatory subunit 9; homolog of rat Bridge 1; 26S proteasome regulatory subunit p27; proteasome 26S non-ATPase regulatory subunit 9
UniProt Protein Name	26S proteasome non-ATPase regulatory subunit 9
UniProt Gene Name	PSMD9
UniProt Entry Name	PSMD9_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/psmd9-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/223045>