

Rabbit TOM20 Polyclonal Antibody | anti-TOM20 antibody

(KO Validated) TOM20 Polyclonal Antibody

CATALOG # AAA22309	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot, Immunofluorescence
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

TOM20; Polyclonal Antibody; (KO Validated) TOM20 Polyclonal Antibody; TOMM20; MAS20; MOM19; anti-TOM20 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.01% thiomersal, 50% glycerol, pH 7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-TOM20 antibody	WB (Western Blot), IF (Immunofluorescence)
Application Notes	WB: 1:500-1:2000 IHC: 1:50-1:200 IF: 1:50-1:200
Immunogen	Recombinant fusion protein of human TOMM20
Research Area	Cancer, Metabolism, Signal Transduction
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of U2OS cells using [KO Validated] TOM20 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of NIH/3T3 cells using [KO Validated] TOM20 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of C6 cells using [KO Validated] TOM20 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




WB (Western Blot)

Western blot analysis of extracts from normal (control) and TOM20 knockout (KO) 293T cells using TOM20 Polyclonal Antibody at 1:3000 dilution.



WB (Western Blot)

Western blot analysis of extracts of various cell lines using TOM20 Polyclonal Antibody at 1:3000 dilution.



WB (Western Blot)

Western blot analysis of extracts of various cell lines using TOM20 Polyclonal Antibody at 1:3000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-TOM20 antibody	Central component of the receptor complex responsible for the recognition and translocation of cytosolically synthesized mitochondrial preproteins. Together with TOM22 functions as the transit peptide receptor at the surface of the mitochondrion outer membrane and facilitates the movement of preproteins into the TOM40 translocation pore (By similarity). Required for the translocation across the mitochondrial outer membrane of cytochrome P450 monooxygenases.
Product Categories/Family for anti-TOM20 antibody	Antibodies ; Primary Antibodies ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	7657257
NCBI GeneID	9804
NCBI Accession #	NP_055580.1
NCBI GenBank Nucleotide #	NM_014765.2
UniProt Accession #	Q15388 ; Q498B3 ; Q6IBT4 ; A8K195 ; AAB35420
Molecular Weight	16,298 Da
NCBI Official Full Name	mitochondrial import receptor subunit TOM20 homolog
NCBI Official Synonym Full Names	translocase of outer mitochondrial membrane 20 homolog (yeast)

NCBI Official Symbol	TOMM20
NCBI Official Synonym Symbols	MAS20; MOM19; TOM20
NCBI Protein Information	mitochondrial import receptor subunit TOM20 homolog; mitochondrial 20 kDa outer membrane protein; outer mitochondrial membrane receptor Tom20; translocase of outer mitochondrial membrane 20 homolog type II
UniProt Protein Name	Mitochondrial import receptor subunit TOM20 homolog
UniProt Gene Name	TOMM20
UniProt Synonym Gene Names	KIAA0016
UniProt Entry Name	TOM20_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/tom20-antibody-western-blot-immunofluorescence-elisa/22309>