

Rabbit Caspase-3 p17 Polyclonal Antibody | anti-CASP3 antibody

(KO Validated) Caspase-3 p17 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA22324	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry, Immunofluorescence


PRODUCT SYNONYMS

Caspase-3 p17; Polyclonal Antibody; (KO Validated) Caspase-3 p17 Polyclonal Antibody; CASP3; CPP32; CPP32B; SCA-1; caspase-3; anti-CASP3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.01% thiomersal, 50% glycerol, pH 7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-CASP3 antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence)
Application Notes	WB: 1:500-1:2000 IHC: 1:50-1:100 IF: 1:50-1:200
Immunogen	Recombinant fusion protein of human Caspase-3
Research Area	Cancer, Cell Biology, Metabolism, Neuroscience
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of PC-12 cells using Caspase-3 p17 Polyclonal Antibody at dilution of 1:50 (40x lens). Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of NIH/3T3 cells using Caspase-3 p17 Polyclonal Antibody at dilution of 1:50 (40x lens). Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of L929 cells using Caspase-3 p17 Polyclonal Antibody at dilution of 1:100. Blue: DAPI for nuclear staining.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse lung using Caspase-3 p17 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



WB (Western Blot)

Western blot analysis of extracts from wild type (WT) and Caspase-3 p17 knockout (KO) 293T cells using Caspase-3 p17 Polyclonal Antibody at 1:1000 dilution.



WB (Western Blot)

Western blot analysis of extracts of Jurkat cells using Caspase-3 p17 Polyclonal Antibody at 1:1000 dilution. Jurkat cells were treated by staurosporine (1 uM) for 3 hours.

ADDITIONAL INFORMATION

Related Product Information for anti-CASP3 antibody

This gene encodes a protein which is member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. This protein cleaves and activates caspases 6, 7 and 9, and the protein itself is processed by caspases 8, 9 and 10. It is the predominant caspase involved in the cleavage of amyloid-beta 4A precursor protein, which is associated with neuronal death in Alzheimer's disease. Alternative splicing of this gene results in two transcript variants that encode the same protein.

Product Categories/Family for anti-CASP3 antibody

[Antibodies](#); [Primary Antibodies](#); [Polyclonal Antibody](#)

NCBI AND UNIPROT INFORMATION

NCBI GI #	14790119
NCBI GeneID	836
NCBI Accession #	NP_004337.2
NCBI GenBank Nucleotide #	NM_004346.3
UniProt Accession #	P42574; Q96AN1; Q96KP2; A8K5M2; D3DP53
Molecular Weight	31,608 Da
NCBI Official Full Name	caspase-3 preproprotein

NCBI Official Synonym Full Names	caspase 3, apoptosis-related cysteine peptidase
NCBI Official Symbol	CASP3
NCBI Official Synonym Symbols	CPP32; SCA-1; CPP32B
NCBI Protein Information	caspase-3; CASP-3; CPP-32; apopain; procaspase3; protein Yama; PARP cleavage protease; cysteine protease CPP32; SREBP cleavage activity 1; caspase 3, apoptosis-related cysteine protease
UniProt Protein Name	Caspase-3
UniProt Gene Name	CASP3
UniProt Synonym Gene Names	CPP32; CASP-3; CPP-32; SCA-1
UniProt Entry Name	CASP3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
 Online datasheet: <https://stage.aaabiotech.com/polyclonal/caspase-3-p17-antibody-western-blot-immunohistochemistry-immunofluorescence-elisa/22324>