

Rabbit EDG2 Polyclonal Antibody | anti-EDG2 antibody

Rabbit anti-EDG2 Antibody

CATALOG # AAA223547	HOST Rabbit	REACTIVITY Human, Mouse, Rat, Bovine, Sheep	APPLICATIONS Immunofluorescence, Western Blot
-------------------------------	-----------------------	---	---


PRODUCT SYNONYMS

EDG2; Polyclonal Antibody; Rabbit anti-EDG2 Antibody; LPA1; Lysophosphatidic acid receptor 1; LPA receptor 1; LPA-1; Lysophosphatidic acid receptor Edg-2; anti-EDG2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat, Bovine, Sheep
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-EDG2 antibody	IC (Immunochemistry), IF (Immunofluorescence), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human EDG2. The exact sequence is proprietary.
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES



IF (Immunofluorescence)

Immunofluorescent analysis of EDG2 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



WB (Western Blot)

Western blot analysis of EDG2 expression in HeLa (A), A549 (B), mouse heart (C) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-EDG2 antibody	Primary antibodies
--	--------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	16950636
NCBI GeneID	1902
NCBI Accession #	NP_001392.2
NCBI GenBank Nucleotide #	NM_001401.3
UniProt Accession #	Q92633; P61793; P61794
Molecular Weight	41,109 Da
NCBI Official Full Name	lysophosphatidic acid receptor 1
NCBI Official Synonym Full Names	lysophosphatidic acid receptor 1
NCBI Official Symbol	LPAR1
NCBI Official Synonym Symbols	EDG2; LPA1; VZG1; GPR26; edg-2; vzg-1; Gpcr26; Mrec1.3; rec.1.3
NCBI Protein Information	lysophosphatidic acid receptor 1; LPA-1; LPA receptor 1; ventricular zone gene 1; lysophosphatidic acid receptor Edg-2; endothelial differentiation, lysophosphatidic acid G-protein-coupled receptor, 2
UniProt Protein Name	Lysophosphatidic acid receptor 1
UniProt Gene Name	LPAR1
UniProt Synonym Gene Names	EDG2; LPA1; LPA receptor 1; LPA-1
UniProt Entry Name	LPAR1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/edg2-antibody-immunochemistry-immunofluorescence-western-blot-elisa/223547>