

Rabbit Aurora A Polyclonal Antibody | anti-AURKA antibody

Rabbit anti-Aurora A Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA223836	Rabbit	Human, Mouse, Rat, Pig, Monkey	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Aurora A; Polyclonal Antibody; Rabbit anti-Aurora A Antibody; AIK; AIRK1; ARK1; AURA; AYK1; BTAK; IAK1; STK15; STK6; Aurora kinase A; Aurora 2; Aurora/IPL1-related kinase 1; ARK-1; Aurora-related kinase 1; hARK1; Breast tumor-amplified kinase; Serine/threonine-protein kinase 15; Serine/threonine-protein kinase 6; Serine/threonine-protein kinase aurora-A; anti-AURKA antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat, Pig, Monkey
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-AURKA antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human Aurora A. The exact sequence is proprietary.
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of Aurora A staining in MCF7 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of Aurora A staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of Aurora A expression in MCF7 (A), SP2/0 (B), H9C2 (C) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-AURKA antibody	Primary antibodies
---	--------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	38327562
NCBI GeneID	6790
NCBI Accession #	NP_003591.2
NCBI GenBank Nucleotide #	NM_003600.2
UniProt Accession #	O14965; P97477; P59241
Molecular Weight	45,809 Da
NCBI Official Full Name	aurora kinase A
NCBI Official Synonym Full Names	aurora kinase A
NCBI Official Symbol	AURKA
NCBI Official Synonym Symbols	AIK; ARK1; AURA; BTAK; STK6; STK7; STK15; AURORA2; PPP1R47
NCBI Protein Information	aurora kinase A; ARK-1; hARK1; aurora 2; Aurora-A kinase; IPL1-related kinase; aurora-related kinase 1; aurora/IPL1-like kinase; serine/threonine kinase 6; aurora/IPL1-related kinase 1; breast tumor-amplified kinase; breast-tumor-amplified kinase; serine/
UniProt Protein Name	Aurora kinase A
UniProt Gene Name	AURKA
UniProt Synonym Gene Names	AIK; AIRK1; ARK1; AURA; AYK1; BTAK; IAK1; STK15; STK6; ARK-1; Aurora-related kinase 1; hARK1
UniProt Entry Name	AURKA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.