

Rabbit TRIM23 Polyclonal Antibody | anti-TRIM23 antibody

TRIM23 Antibody

CATALOG # AAA225057	HOST Rabbit	APPLICATIONS Western Blot, Immunohistochemistry, Immunocytochemistry, Immunofluorescence
-------------------------------	-----------------------	--

PRODUCT SYNONYMS

TRIM23; Polyclonal Antibody; TRIM23 Antibody; Affinity Purified Rabbit Polyclonal TRIM23 Antibody; Polyclonal TRIM23 antibody; Anti-TRIM23 antibody; E3 ubiquitin-protein ligase TRIM23 antibody; TRIM-23; ARFD1 antibody; TRIM 23 antibody; TRIM23 antibody; tripartite motif containing 23 antibody; tripartite motif-containing 23 antibody; RING finger protein 46 antibody; ARD1 antibody; GTP-binding protein ARD-1 antibody; ARF domain protein 1 antibody; TRIM-23 antibody; ADP-ribosylation factor domain protein 1 64kDa antibody; tripartite motif protein TRIM23 antibody; TRIM 23; RNF46 antibody; tripartite motif-containing protein 23 antibody; ADP-ribosylation factor domain-containing protein 1 antibody; anti-TRIM23 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen-Affinity Chromatography
Form/Format	Supplied as a concentrated solution containing 1X PBS, 1% BSA, 20% Glycerol (pH 7.0). 0.01% Thimerosal was added as a preservative.
Concentration	1 mg/ml (varies by lot)
Sequence Length	579
Applicable Applications for anti-TRIM23 antibody	WB (Western Blot), IHC (Immunohistochemistry), ICC (Immunocytochemistry), IF (Immunofluorescence)
Immunogen	TRIM23 antibody was raised in rabbit using a synthetic peptide corresponding to a region within amino acids 1 and 44 of TRIM23
Cross-Reactivity	Human, Mouse
Preparation and Storage	Store at 4 degree C for short term storage. Aliquot and store at -20 degree C for long term storage. Avoid repeated freeze/thaw cycles.

IMAGES




WB (Western Blot)

Western blot analysis of 30 ug of whole cell lysate (A:HeLa S3) using a 10% SDS PAGE gel and TRIM23 antibody at a dilution of 1:1000



IHC (Immunohistochemistry)

Immunohistochemical staining of paraffin-embedded gastric CA using TRIM23 antibody at a dilution of 1:100



IF (Immunofluorescence)

Confocal immunofluorescence analysis (Olympus FV10i) of paraformaldehyde-fixed HeLa, using TRIM23 antibody (Green) at 1:500 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-TRIM23 antibody	The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This protein is also a member of the ADP ribosylation factor family of guanine nucleotide-binding family of proteins. Its carboxy terminus contains an ADP-ribosylation factor domain and a guanine nucleotide binding site, while the amino terminus contains a GTPase activating protein domain which acts on the guanine nucleotide binding site. The protein localizes to lysosomes and the Golgi apparatus. It plays a role in the formation of intracellular transport vesicles, their movement from one compartment to another, and phopholipase D activation.
Product Categories/Family for anti-TRIM23 antibody	Cell Biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	1600537686
Molecular Weight	64 kDa
NCBI Official Full Name	TRIM23

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/trim23-antibody-western-blot-immunohistochemistry-immunocytochemistry-immunofluorescence-elisa/225057>