

Rabbit ERH Polyclonal Antibody | anti-ERH antibody

ERH Antibody

CATALOG # AAA225126	HOST Rabbit	APPLICATIONS Western Blot, Immunocytochemistry, Immunofluorescence
-------------------------------	-----------------------	--

PRODUCT SYNONYMS

ERH; Polyclonal Antibody; ERH Antibody; Affinity Purified Rabbit Polyclonal ERH Antibody; Polyclonal ERH antibody; Anti-ERH antibody; ERH antibody; DROER antibody; FLJ27340 antibody; enhancer of rudimentary homolog antibody; enhancer of rudimentary homolog (Drosophila) antibody; anti-ERH antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen-Affinity Chromatography
Form/Format	Supplied as a concentrated solution containing 0.1M Tris, 0.1M Glycine, 10% Glycerol (pH 7.0). 0.01% Thimerosal was added as a preservative.
Concentration	0.79 mg/ml (varies by lot)
Sequence Length	104
Applicable Applications for anti-ERH antibody	WB (Western Blot), ICC (Immunocytochemistry), IF (Immunofluorescence)
Immunogen	ERH antibody was raised in rabbit using a recombinant protein fragment contain a sequence corresponding to a region within amino acids 1 and 86 of ERH
Cross-Reactivity	Human, Mouse
Preparation and Storage	Store at 4 degree C for short term storage. Aliquot and store at -20 degree C for long term storage. Avoid repeated freeze/thaw cycles.

IMAGES




WB (Western Blot)

Western blot analysis of 30 ug of whole cell lysate (A:A431) using a 15% SDS PAGE gel and ERH antibody at a dilution of 1:1500



IF (Immunofluorescence)

Immunofluorescence analysis of paraformaldehyde-fixed HeLa, using ERH antibody at 1:200 dilution.



WB (Western Blot)

Western blot analysis of 50 ug of whole cell lysate (A: mouse brain) using a 15% SDS PAGE gel and ERH antibody at a dilution of 1:1000

ADDITIONAL INFORMATION

Related Product Information for anti-ERH antibody	ERH, also known as enhancer of rudimentary homolog, is a ubiquitously expressed transcriptional coregulator that is highly conserved among eukaryotes. It may play a role in cell cycle regulation and pyrimidine biosynthesis. It has two casein kinase II phosphorylation sites that are thought to disrupt the ability of ERH to dimerize.
Product Categories/Family for anti-ERH antibody	Cell Cycle & Cell Death

NCBI AND UNIPROT INFORMATION

NCBI GI #	49457352
Molecular Weight	12 kDa
NCBI Official Full Name	ERH

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/erh-antibody-western-blot-immunocytochemistry-immunofluorescence-elisa/225126>