

Rabbit IL1F9 Polyclonal Antibody | anti-IL1F9 antibody

IL1F9 Antibody

CATALOG # AAA225412	HOST Rabbit	APPLICATIONS Western Blot, Immunohistochemistry
-------------------------------	-----------------------	---


PRODUCT SYNONYMS

IL1F9; Polyclonal Antibody; IL1F9 Antibody; Affinity Purified Rabbit Polyclonal IL1F9 Antibody; Polyclonal IL1F9 antibody; Anti-IL1F9 antibody; ILF9 1; ILF9-1 antibody; IL1E antibody; IL-1RP2 antibody; IL-1 epsilon antibody; IL1RP2 antibody; interleukin-1 epsilon antibody; interleukin-1 family member 9 antibody; IL-1 related protein 2 antibody; IL-1(EPSILON) antibody; IL-1H1 antibody; ILF9-1; IL-1F9 antibody; interleukin-36 gamma antibody; IL1H1 antibody; IL1F9 antibody; ILF9 1 antibody; anti-IL1F9 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen-Affinity Chromatography
Form/Format	Supplied as a concentrated solution containing 0.1M Tris, 0.1M Glycine, 10% Glycerol (pH 7.0). 0.01% Thimerosal was added as a preservative.
Concentration	1 mg/ml (varies by lot)
Applicable Applications for anti-IL1F9 antibody	WB (Western Blot), IHC (Immunohistochemistry)
Cross-Reactivity	Human
Preparation and Storage	Store at 4 degree C for short term storage. Aliquot and store at -20 degree C for long term storage. Avoid repeated freeze/thaw cycles.

IMAGES



WB (Western Blot)

Western blot analysis of 30 ug of whole cell lysate (A: H1299; B: HeLa S3) using a 12% SDS PAGE gel and IL1F9 antibody at a dilution of 1:500



IHC (Immunohistochemistry)

Immunohistochemical staining of paraffin-embedded HeLa xenograft using IL1F9 antibody at a dilution of 1:500

ADDITIONAL INFORMATION

Related Product Information for anti-IL1F9 antibody	The protein encoded by this gene is a member of the interleukin 1 cytokine family. The activity of this cytokine is mediated by interleukin 1 receptor-like 2, and is specifically inhibited by interleukin 1 family, member 5. Interferon-gamma, tumor necrosis factor-alpha and interleukin 1, beta are reported to stimulate the expression of this cytokine in keratinocytes. The expression of this cytokine in keratinocytes can also be induced by a contact hypersensitivity reaction or herpes simplex virus infection. This gene and eight other interleukin 1 family genes form a cytokine gene cluster on chromosome 2.
Product Categories/Family for anti-IL1F9 antibody	Cytokines & Growth Factors

NCBI AND UNIPROT INFORMATION

Molecular Weight	19 kDa
------------------	--------

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/il1f9-antibody-western-blot-immunohistochemistry-elisa/225412>