

Echistatin TFA Biochemical

Echistatin TFA

CATALOG #
AAA227131


PRODUCT SYNONYMS

Echistatin TFA; Echistatin TFA biochemical


PRODUCT SPECIFICATIONS

Purity/Purification	98%
Solubility	H ₂ O: 50 mg/mL (9.04 mM), Need ultrasonic <1mg/ml refers to the product slightly soluble or insoluble
Preparation and Storage	Powder: -20 degree C for 3 years In solvent: -80 degree C for 2 years

IMAGES



Structure
m-PEG9-Br, CAS 125562-30-3



Structure
m-PEG9-Br, CAS 125562-30-3

ADDITIONAL INFORMATION

Related Product Information for Echistatin TFA biochemical	Echistatin TFA, the smallest active RGD protein belonging to the family of disintegrins that are derived from snake venoms, is a potent inhibitor of platelet aggregation. Echistatin is a potent inhibitor of bone resorption in culture. Echistatin is a potent antagonist of α IIb β 3, α v β 3 and α 5 β 1[1][2][3][4].
References	1. An S, et al. Small-molecule PROTACS: An emerging and promising approach for the development of targeted therapy drugs. EBiomedicine. 2018 Oct;36:553-562.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.