

endo-BCN-PEG2-NH2 Biochemical

endo-BCN-PEG2-NH2

CATALOG #
AAA227564


PRODUCT SYNONYMS

endo-BCN-PEG2-NH2; endo-BCN-PEG2-NH2 biochemical


PRODUCT SPECIFICATIONS

Purity/Purification	98%
CAS	1263166-93-3
Solubility	<1mg/ml refers to the product slightly soluble or insoluble
In vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins[1].
Preparation and Storage	Powder: -20 degree C for 3 years In solvent: -80 degree C for 2 years

IMAGES



Structure
Azido-PEG3-MS, CAS 176520-24-4



Structure
Azido-PEG3-MS, CAS 176520-24-4

ADDITIONAL INFORMATION

Related Product Information for endo-BCN-PEG2-NH2 biochemical	endo-BCN-PEG2-NH2 is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs.
References	1. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.