

t-Boc-N-amido-PEG6-Tos biochemical

t-Boc-N-amido-PEG6-Tos

CATALOG #
AAA227565


PRODUCT SYNONYMS

t-Boc-N-amido-PEG6-Tos; t-Boc-N-amido-PEG6-Tos biochemical


PRODUCT SPECIFICATIONS

Purity/Purification	98%
CAS	1264015-76-0
Solubility	<1mg/ml refers to the product slightly soluble or insoluble
In vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins[1].
Preparation and Storage	Powder: -20 degree C for 3 years In solvent: -80 degree C for 2 years

IMAGES



Structure
3,4,5-Trihydroxycinnamic acid decyl ester, CAS 1770778-45-4



Structure
3,4,5-Trihydroxycinnamic acid decyl ester, CAS 1770778-45-4

ADDITIONAL INFORMATION

Related Product Information for t-Boc-N-amido-PEG6-Tos biochemical	t-Boc-N-amido-PEG6-Tos is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs.
References	1. Masahiko Imai, et al. Inhibitory effects of hydroxylated cinnamoyl esters on lipid absorption and accumulation. Bioorg Med Chem. 2015 Jul 1;23(13):3788-95.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.