

Chloro-PEG2-Boc biochemical

Chloro-PEG2-Boc

CATALOG #
AAA227722


PRODUCT SYNONYMS

Chloro-PEG2-Boc; Chloro-PEG2-Boc biochemical


PRODUCT SPECIFICATIONS

Purity/Purification	98%
CAS	1442085-43-9
Solubility	<1mg/ml refers to the product slightly soluble or insoluble
In vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins[1].
Preparation and Storage	Powder: -20 degree C for 3 years In solvent: -80 degree C for 2 years

IMAGES



Structure
ACAT-IN-5, CAS 199983-93-2



Structure
ACAT-IN-5, CAS 199983-93-2

ADDITIONAL INFORMATION

Related Product Information for Chloro-PEG2-Boc biochemical	Chloro-PEG2-Boc is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs.
References	1. Joseph Anthony Cornicelli, et al. Sulfonylaminocarbonyl derivatives for the treatment of nuclear factor-kappa B mediated diseases and disorders. EP1236468A1.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.