

## Human Bone Morphogenetic Protein 2 (BMP2) ELISA Kit | BMP2 elisa kit

Human Bone Morphogenetic Protein 2 (BMP2) ELISA Kit

CATALOG #  
**AAA22876**

REACTIVITY  
**Human**


### PRODUCT SYNONYMS

Bone Morphogenetic Protein 2 (BMP2); Human Bone Morphogenetic Protein 2 (BMP2) ELISA Kit; BMP2A; BMP-2A; Hemochromatosis Modifier; BMP2 elisa kit

### PRODUCT SPECIFICATIONS

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity              | Human                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Specificity             | This assay has high sensitivity and excellent specificity for detection of BMP2. No significant cross-reactivity or interference between BMP2 and analogues was observed.                                                                                                                                                                                                                                                                                                                             |
| Sequence Length         | 396                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Samples                 | Serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids                                                                                                                                                                                                                                                                                                                                                                                                  |
| Assay Type              | Quantitative Sandwich                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Detection Range         | 15.6-1,000pg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Sensitivity             | < 5.8pg/mL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Intra-assay Precision   | Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level BMP2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%                                                                                                                                                                                                                                                                                                                                |
| Inter-assay Precision   | Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level BMP2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%                                                                                                                                                                                                                                                                                              |
| Preparation and Storage | <p>The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.</p> <p>To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.</p> |

### IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

|                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Related Product Information for BMP2 elisa kit | <p>Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of BMP2 in human serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids.</p> <p>Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to BMP2. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to BMP2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain BMP2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of BMP2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.</p> |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

NCBI AND UNIPROT INFORMATION

|                                  |                                            |
|----------------------------------|--------------------------------------------|
| NCBI GI #                        | 4557369                                    |
| NCBI GeneID                      | 650                                        |
| NCBI Accession #                 | NP_001191.1                                |
| NCBI GenBank Nucleotide #        | NM_001200.3                                |
| UniProt Accession #              | P12643                                     |
| Molecular Weight                 | 44,702 Da                                  |
| NCBI Official Full Name          | bone morphogenetic protein 2 preproprotein |
| NCBI Official Synonym Full Names | bone morphogenetic protein 2               |
| NCBI Official Symbol             | BMP2                                       |
| NCBI Official Synonym Symbols    | BDA2; BMP2A                                |
| NCBI Protein Information         | bone morphogenetic protein 2               |
| UniProt Protein Name             | Bone morphogenetic protein 2               |
| UniProt Gene Name                | BMP2                                       |
| UniProt Synonym Gene Names       | BMP2A; BMP-2; BMP-2A                       |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)  
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/bone-morphogenetic-protein-2-bmp2/22876>