

Rat Interleukin 13 (IL13) ELISA Kit | IL13 elisa kit

Rat Interleukin 13 (IL13) ELISA Kit

CATALOG #
AAA22886

REACTIVITY
Rat


PRODUCT SYNONYMS

Interleukin 13 (IL13); Rat Interleukin 13 (IL13) ELISA Kit; ALRH; BHR1; P600; IL-13; NC30; IL13 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of IL13. No significant cross-reactivity or interference between IL13 and analogues was observed.
Sequence Length	146
Samples	Rat serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids
Detection Range	7.8-500pg/mL
Sensitivity	< 3.0pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level IL13 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level IL13 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IL13 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to IL13. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to IL13. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain IL13, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of IL13 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	26787978
NCBI GeneID	3596
NCBI Accession #	NP_002179.2
NCBI GenBank Nucleotide #	NM_002188.2
UniProt Accession #	P35225; O43644; Q4VB52; Q9UDC7
Molecular Weight	15,816 Da
NCBI Official Full Name	interleukin-13 isoform 1
NCBI Official Synonym Full Names	interleukin 13
NCBI Official Symbol	IL13
NCBI Official Synonym Symbols	P600; IL-13
NCBI Protein Information	interleukin-13
UniProt Protein Name	Interleukin-13
UniProt Gene Name	IL13
UniProt Synonym Gene Names	NC30; IL-13

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.