

Rabbit anti-Human LAIR1 Polyclonal Antibody | anti-LAIR1 antibody

LAIR1 Antibody

CATALOG # AAA229159	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

LAIR1; Polyclonal Antibody; LAIR1 Antibody; Leukocyte-associated immunoglobulin-like receptor 1; LAIR-1; hLAIR1; CD305; anti-LAIR1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%,Protein G purified
Form/Format	Liquid
Sequence Length	269
Applicable Applications for anti-LAIR1 antibody	IHC (Immunohistochemistry), ELISA
Immunogen	Recombinant human Leukocyte-associated immunoglobulin-like receptor 1 protein
Conjugation	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-21570
Preparation and Storage	Shipped at 4 degree C. Upon delivery, aliquot and store at -20 degree C or -80 degree C.


IMAGES


IHC (Immunohistochemisry)

Immunofluorescent analysis of HepG2 cells using AAA229159 at a dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)


IHC (Immunohiostchemistry)

Immunohistochemistry of paraffin-embedded human appendix tissue using AAA229159 at dilution of 1:100



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded human lung tissue using AAA229159 at dilution of 1:100

ADDITIONAL INFORMATION

Related Product Information for anti-LAIR1 antibody	Functions as an inhibitory receptor that plays a constitutive negative regulatory role on cytolytic function of natural killer (NK) cells, B-cells and T-cells. Activation by Tyr phosphorylation results in recruitment and activation of the phosphatases PTPN6 and PTPN11. It also reduces the increase of intracellular calcium evoked by B-cell receptor ligation. May also play its inhibitory role independently of SH2-containing phosphatases. Modulates cytokine production in CD4+ T-cells, down-regulating IL2 and IFNG production while inducing secretion of transforming growth factor beta. Down-regulates also IgG and IgE production in B-cells as well as IL8, IL10 and TNF secretion. Inhibits proliferation and induces apoptosis in myeloid leukemia cell lines as well as prevents nuclear translocation of NF-kappa-B p65 subunit/RELA and phosphorylation of I-kappa-B alpha/CHUK in these cells. Inhibits the differentiation of peripheral blood precursors towards dendritic cells.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	612407867
NCBI GeneID	3903
NCBI Accession #	NP_001275952.2
NCBI GenBank Nucleotide #	NM_001289023.2
UniProt Accession #	Q6GTX8
Molecular Weight	23,049 Da
NCBI Official Full Name	leukocyte-associated immunoglobulin-like receptor 1 isoform c
NCBI Official Synonym Full Names	leukocyte associated immunoglobulin like receptor 1
NCBI Official Symbol	LAIR1
NCBI Official Synonym Symbols	CD305; LAIR-1
NCBI Protein Information	leukocyte-associated immunoglobulin-like receptor 1
UniProt Protein Name	Leukocyte-associated immunoglobulin-like receptor 1
UniProt Gene Name	LAIR1
UniProt Synonym Gene Names	CD305; LAIR-1; hLAIR1
UniProt Entry Name	LAIR1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.