

Rabbit anti-Mouse Dlk2 Polyclonal Antibody | anti-Dlk2 antibody

Dlk2 Antibody

CATALOG # AAA229875	HOST Rabbit	REACTIVITY Mouse	APPLICATIONS Western Blot, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

Dlk2; Polyclonal Antibody; Dlk2 Antibody; Protein delta homolog 2; DLK-2; Endothelial cell-specific protein S-1; Epidermal growth factor-like protein 9; EGF-like protein 9; Egfl9; anti-Dlk2 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid
Applicable Applications for anti-Dlk2 antibody	WB (Western Blot), ELISA
Immunogen	Recombinant Mouse Protein delta homolog 2 protein (27-305AA)
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Research Area	Others
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C.

IMAGES



WB (Western Blot)

Western blotAll lanes: Dlk2 antibody at 5ug/ml+Mouse kidney tissueGoat polyclonal to rabbit at 1/10000 dilutionPredicted band size: 41,46,45 kDaObserved band size: 41 kDa

ADDITIONAL INFORMATION

Related Product Information for anti-Dlk2 antibody	Regulates adipogenesis.
--	-------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	553727040
NCBI GeneID	106565
NCBI Accession #	NP_001272942.1
NCBI GenBank Nucleotide #	NM_001286013.1
UniProt Accession #	Q8K1E3; Q0IIP7; Q148N7; Q9QYP3; B5B9L4
NCBI Official Full Name	protein delta homolog 2
NCBI Official Synonym Full Names	delta-like 2 homolog (Drosophila)
NCBI Official Symbol	Dlk2
NCBI Official Synonym Symbols	DLK-2; Egfl9; AI413481
NCBI Protein Information	protein delta homolog 2
UniProt Protein Name	Protein delta homolog 2
UniProt Gene Name	Dlk2
UniProt Synonym Gene Names	Egfl9; DLK-2; EGF-like protein 9
UniProt Entry Name	DLK2_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.