

Mouse Leucine Rich Alpha-2-Glycoprotein 1 (LRG1) ELISA Kit | LRG1 elisa kit

Mouse Leucine Rich Alpha-2-Glycoprotein 1 (LRG1) ELISA Kit

CATALOG #
AAA23017

REACTIVITY
Mouse


PRODUCT SYNONYMS

Leucine Rich Alpha-2-Glycoprotein 1 (LRG1); Mouse Leucine Rich Alpha-2-Glycoprotein 1 (LRG1) ELISA Kit; LRG1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of LRG1. No significant cross-reactivity or interference between LRG1 and analogues was observed.
Sequence Length	347
Assay Type	Quantitative Sandwich
Samples	Mouse serum, plasma and other biological fluids
Detection Range	15.6-1,000ng/mL
Sensitivity	< 6.3ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level LRG1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level LRG1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LRG1 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to LRG1. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to LRG1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain LRG1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of LRG1 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of LRG1 in mouse serum, plasma and other biological fluids.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	16418467
NCBI GeneID	116844
NCBI Accession #	NP_443204.1
NCBI GenBank Nucleotide #	NM_052972.2
UniProt Accession #	P02750; Q8N4F5; Q96QZ4
Molecular Weight	38,178 Da
NCBI Official Full Name	leucine-rich alpha-2-glycoprotein
NCBI Official Synonym Full Names	leucine rich alpha-2-glycoprotein 1
NCBI Official Symbol	LRG1
NCBI Official Synonym Symbols	LRG; HMFT1766
NCBI Protein Information	leucine-rich alpha-2-glycoprotein
UniProt Protein Name	Leucine-rich alpha-2-glycoprotein
UniProt Gene Name	LRG1
UniProt Synonym Gene Names	LRG; LRG

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/leucine-rich-alpha-2-glycoprotein-1-lrg1/23017>