

Human Matrix Remodelling Associated Protein 5 (MXRA5) ELISA Kit | MXRA5 elisa kit

Human Matrix Remodelling Associated Protein 5 (MXRA5) ELISA Kit

CATALOG #
AAA23082

REACTIVITY
Human


PRODUCT SYNONYMS

Matrix Remodelling Associated Protein 5 (MXRA5); Human Matrix Remodelling Associated Protein 5 (MXRA5) ELISA Kit; Adlican; Adhesion protein with leucine-rich repeats and immunoglobulin domains related to perlecan; MXRA5 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of MXRA5. No significant cross-reactivity or interference between MXRA5 and analogues was observed.
Sequence Length	2,828
Assay Type	Quantitative Sandwich
Samples	Human serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids
Detection Range	62.5-4,000pg/mL
Sensitivity	< 25.5pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level MXRA5 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level MXRA5 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MXRA5 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to MXRA5. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to MXRA5. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain MXRA5, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of MXRA5 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of MXRA5 in human serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	139948432
NCBI GeneID	25878
NCBI Accession #	NP_056234.2
NCBI GenBank Nucleotide #	NM_015419.3
UniProt Accession #	Q9NR99; Q6P1M7; Q9Y3Y8
Molecular Weight	312,150 Da
NCBI Official Full Name	matrix-remodeling-associated protein 5
NCBI Official Synonym Full Names	matrix remodeling associated 5
NCBI Official Symbol	MXRA5
NCBI Protein Information	matrix-remodeling-associated protein 5
UniProt Protein Name	Matrix-remodeling-associated protein 5
UniProt Gene Name	MXRA5
UniProt Synonym Gene Names	Adlican

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/matrix-remodelling-associated-protein-5-mxra5/23082>